



Application for Works Approval Amendment

Part V Division 3 of the *Environmental Protection Act 1986*

Works Approval Number	W6915/2024/1
Works Approval Holder	CSBP Limited
ACN	008 668 371
Application Number	APP-0031155
Premises	CSBP Limited Kwinana Legal description – Part of Lot 20 on Diagram 78086, Volume 1918 / Folio 244 Part of Lot 18 on Plan 17311, Volume 2058 / Folio 310 As defined by the coordinates in Schedule 2 of the Revised Works Approval
Date of Report	14 November 2025
Decision	Revised works approval granted

Table of Contents

1. Decision summary	3
2. Scope of assessment	3
2.1 Regulatory framework	3
2.2 Amendment summary	3
2.3 Part IV of the EP Act.....	3
3. Consultation	3
4. Decision.....	4
5. Conclusion	4
5.1 Summary of amendments.....	4
6. References	5

Table 1: Consultation	4
-----------------------------	---

Table 2: Summary of works approval amendments.....	4
--	---

No table of figures entries found.

1. Decision summary

Works Approval W6915/2024/1 is held by CSBP Limited (Works Approval Holder) for the CSBP Kwinana facility (the Premises), located at Port Road, Kwinana Beach.

This Amendment Report documents the assessment of potential risks to the environment and public health from proposed changes to the emissions and discharges during the construction and operation of the Premises. As a result of this assessment, Revised Works Approval W6915/2024/1 has been granted.

2. Scope of assessment

2.1 Regulatory framework

In completing the assessment documented in this Amendment Report, the department has considered and given due regard to its Regulatory Framework and relevant policy documents which are available at <https://dwer.wa.gov.au/regulatory-documents>.

2.2 Amendment summary

On 12 September 2025 the Works Approval Holder submitted an application to the department to amend Works Approval W6915/2024/1 under section 59 and 59B of the *Environmental Protection Act 1986* (EP Act). The following amendments are being sought:

- Split table 1 into 3 parts to facilitate staged commissioning and time limited operations
- Remove steam injection for Plant upgrades as these are no longer required
- Remove nitric acid storage from works approval as additional storage is no longer required
- Minor changes to the specification of ammonium nitrate solution containment
- Increase the reporting period for compliance report to 60 days
- Increase TLO time frame from 90 days to 365 days
- Split Table 2 into 3 parts to facilitate stage commissioning and time limited operations.
- Remove ASF and APF connection from table 2 as no change to emission points are being made.
- Amendment to TLO reporting condition (Condition 8) allowing for staged time limited operations to and to increase the reporting time for time limited operations to 60 days.

2.3 Part IV of the EP Act

CSBP holds Ministerial Statement 689 (MS 689) and Ministerial Statement 875 (MS 875) associated with the Kwinana Ammonium Nitrate Production Facility expansion project. An amendment to MS 875 regarding phase 2 of the debottlenecking project was referred to the Environmental Protection Authority (EPA) under section 45C (s.45C) of the EP Act and granted in March 2024.

3. Consultation

Table 1 provides a summary of the consultation undertaken by the department.

Table 1: Consultation

Consultation method	Comments received	Department response
Works Approval Holder was provided with draft amendment on 20 October 2025	The works approval holder replied on 7 November 2025 requesting an amendment to Figure 2 to change the location of the AN 90% storage tank location to facilitate heavy vehicle turning circle.	The delegated officer considers that this change does not alter the risk to the environment and has accepted this proposed change of location. Specifications for construction, bunding and alarms remain.

4. Decision

The delegated officer has determined that the changes to the infrastructure table and reporting conditions will not increase the risk to the environment or public health. In coming to this decision, the delegated officer notes that:

- The changes to plant infrastructure approved by the works approval will be sequentially implemented and the changes to the table facilitate sequential commissioning and time limited operations;
- The proposal for additional nitric acid storage is no longer required; and
- Changes to time limited operations duration is considered an administrative adjustment to facilitate the sequential implementation of the modifications to the NAAN trains.

The delegated officer considers that the risk associated with the activity, and the proposed amendments remains unchanged or slightly reduced from the original assessment report (available on the DWER website) and is not re-examined here.

5. Conclusion

Based on the assessment in this Amendment Report, the Delegated Officer has determined that a Revised Works Approval will be granted, subject to conditions commensurate with the determined controls and necessary for administration and reporting requirements.

5.1 Summary of amendments

Table 2 provides a summary of the proposed amendments and will act as record of implemented changes. All proposed changes have been incorporated into the Revised Works Approval as part of the amendment process.

Table 2: Summary of works approval amendments

Condition no.	Proposed amendments
Condition 1 Table 1	• Replace conditions grouped for NAAN 1, NAAN2, and NAAN 3 with separate conditions for each train. • Delete infrastructure for nitric acid storage. • Update tank sizes for ammonium nitrate solution storage
Condition 2	Extend the reporting deadline for compliance report from 30 to 60 days
Condition 6	Extend the time limited operations period from 90 to 365 days.
Condition 7 Table 2	Replace infrastructure conditions grouped for NAAN 1, NAAN2, and NAAN 3 with separate conditions for each train.
Condition 8	Adjust the wording to allow for separate time limited operations for each train and extend the reporting deadline for time limited operations report from 30 to 60 days

6. References

1. Department of Environment Regulation (DER) 2015, *Guidance Statement: Setting Conditions*, Perth, Western Australia.
2. Department of Water and Environmental Regulation (DWER) 2020, *Guideline: Environmental Siting*, Perth, Western Australia.
3. DWER 2020, *Guideline: Risk Assessments*, Perth, Western Australia.