

Application form: Works Approval / Licence / Renewal / Amendment / Registration

Part V Division 3. Environmental Protection Act 1986 Environmental Protection Regulations 1987

Part 1: Application type

- Completion of this form is a statutory requirement under s.54(1)(a) of the Environmental Protection Act 1986 (WA) (EP Act) for works approval applications; s.57(1)(a) for licence and licence renewal applications; s.59B(1)(a) for applications for an amendment; and under r.5B(2)(a) of the Environmental Protection Regulations 1987 (WA) (EP Regulations) for applications for registration of premises.
- The instructions set out in this application form are general in nature.
- A reference to 'you' in these instructions is a reference to the applicant,
- The information provided to you by the Department of Water and Environmental Regulation (DWER) in relation to making applications does not constitute legal advice. DWER recommends that you obtain independent legal advice.
- Applicants seeking further information relating to requirements under the EP Act and/or EP Regulations are directed to the Parliamentary Counsel's Office website (www.legislation.wa.gov.au). Schedule 1 of the EP Regulations contains the categories of prescribed premises.
- For prescribed premises where activities fall within more than one category, ALL applicable categories must be identified. This applies for existing prescribed premises seeking renewal or amendment, as well as new prescribed premises.
- The application form must be completed with all relevant information attached. Attachments can be combined and submitted as one or more consolidated documents if desired, provided it is clear which section of the application form the information / attachments relate to. Where attachments are submitted separately, avoid duplicating information. Ensure that any cross-references between the application form and the supporting document(s) are accurate.
- If an application form has been submitted which is incomplete or materially incorrect, the Chief Executive Officer of DWER (CEO) will decline to deal with the application and advise the applicant accordingly.
- On completing this application form, please submit it to DWER in line with the instructions in Part 15 of

11	This is an application for: [Select one option only. Your application may be returned if multiple options are selected.] under Part V, Division 3 of the EP Act. Please see the: • Guideline. Industry Regulation Guide to Licensing • Procedure: Prescribed premises works approvals and licences for more information to assist in understanding DWER's regulatory regime for prescribed premises.	□ Works approval □ Licence Existing registration number(s). [] Existing works approval number(s): [] □ Renewal Existing licence number: [] □ Amendment Number of the existing licence or works approval to the amended: L4247/1991/13 □ Registration (works approval already obtained) Existing works approval number(s): []	be
1.2	days until the expiry of the existing works Only active instruments can be amended. Ap	approval or licence? oplications to amend a works approval or licence or to the existing works approval or licence expiring	Yes

Part 1: Application type

1.3 This application is for the following categories of prescribed premises:

(specify all prescribed premises category numbers)

Category 5

Processing or beneficiation of metallic or non-metallic ore: premises on which -

- (a) Metallic or non-metallic ore is crushed, ground, milled or otherwise processed, or
- (b) Tailings from metallic or non-metallic ore are reprocessed; or
- (c) Tailings or residue from metallic or non-metallic ore are discharged into a containment cell or dam.

50 000 tonnes ore more per year.

Category 54

Sewage facility: premises -

- (a) on which sewage is treated (excluding septic tanks); or
- (b) from which treated sewage is discharged onto land or into waters.

100 cubic metres or more per day.

Category 61 (new this application)

Liquid waste facility. premises on which liquid waste produced on other premises (other than sewerage waste) is stored, reprocessed, treated or irrigated.

100 tonnes or more per year

 \times

All activities that meet the definition of a prescribed premises as set out in Schedule 1 of the EP Regulations have been specified above (tick, if yes).

Application form section	New application / registration	Renewal	Amendment
Part 1: Application type			201
Part 2: Applicant details		0.67	
Part 3: Premises details			Δ
Part 4: Proposed activities		1.	•/
Part 5: Index of Biodiversity Surveys for Assessment and Index of Marine Surveys for Assessment	If required.	If required.	If required.
Part 6: Other DWER approvals	•		•
Part 7: Other approvals and consultation			
Part 8: Applicant history	•	•	Δ
Part 9: Emissions, discharges, and waste		•	Δ
Part 10: Siting and location			Δ
Part 11: Submission of any other relevant information		•	If required.
Part 12: Category checklist(s)			
Part 13: Proposed fee calculation	•	100	•
Part 14: Commercially sensitive or confidential information	•	100	1.00
Part 15: Submission of application			
Part 16: Declaration and signature		•	
Attachment 1A: Proof of occupier status			N/A

Attachment 1B: ASIC company extract			N/A
Attachment 1C: Authorisation to act as a representative of the occupier	•	•	
Attachment 2: Premises map/s		0.00	Δ
Attachment 3A: Environmental commissioning plan	If required.	N/A	If required
Attachment 3B: Proposed activities		S.*C.	Δ
Attachment 3C: Map of area proposed to be cleared (only applicable if clearing is proposed)	•	2.5	
Attachment 3D: Additional information for clearing	If required.	If required.	If required.
Attachment 4: Marine surveys (only applicable if marine surveys included in application)		•	•
Attachment 5: Other approvals and consultation documentation			Δ
Attachment 6A: Emissions and discharges	If required.	If required.	If required.
Attachment 6B: Waste acceptance	If required.	If required.	If required.
Attachment 7: Siting and location	*		Δ
Attachment 8: Additional information submitted	If required.	If required.	If required.
Attachment 9: Category-specific checklist(s)		If required.	If required.
Attachment 10: Proposed fee calculation	•		
Attachment 11: Request for exemption from publication	If required.	If required.	If required.

Key:

Must be completed / submitted.

To the extent changed / required in relation to the amendment.

N/A Not required with application, but may be requested subsequently depending on DWER records.

"If required" Sections for applicants to determine.

Part 2: Applicant details

- The applicant (the occupier of the premises) must be an individual(s), a company, body corporate, or
 public authority, but not a partnership, trust, or joint-venture name. Applications made by or on behalf of
 business names or unincorporated associations will not be accepted.
- If applying as an individual, your full legal name must be provided.
- If applying as a company, body corporate, or public authority, the full legal entity name must be inserted.
- . Australian Company Number's (ACN) must be provided for all companies or body corporates.
- DWER prefers to send all correspondence electronically via email. We request that you consent to
 receiving all correspondence relating to instruments and notices under Part V of the EP Act (Part V
 documents) electronically via email, by indicating your consent in Section 2.3.
- Companies or body corporates making an application must nominate an authorised representative from within their organisation. Proof of authorisation must be submitted with the application (see Section 2.10).
 If you are applying as an individual, you are the representative.
- Details of a contact person must be provided for DWER enquiries in relation to your application. This
 contact person can be a consultant if authorised to represent the applicant. Written evidence of this
 authorisation must be provided.
- Details of the occupier of the premises must be provided. One of the options must be selected and if you
 have been asked to specify, please provide details. For example, if 'lease holder' has been selected,
 please specify the type of lease (for example, pastoral lease, mining lease, or general lease) and provide a
 copy of the lease document(s). Note that contracts for sale of land will not be sufficient evidence of
 occupancy status.

2.1	Applicant name/s (full legal name/s): The proposed holder of the works approval, licence or registration.	Talison Lithium Australia Pty Ltd
	ACN (if applicable):	39 139 401 308
2.2	Trading as (if applicable):	N/A

Part 2	Applicant details				
2.3	Authorised representative details:	Name			
.) E:	The person authorised to receive correspondence and Part V documents on behalf of the applicant under the EP Act.	Position			
	Where 'yes' is selected, all correspondence will be sent to you via email, to the email	Telephone			
	address provided in this section. Where 'no' has been	Email			
	selected, Part V documents will be posted to you in hard			Yes	No
	copy to the postal / business address specified in Section 2.4, below. Other general correspondence may still be sent to you via email.	applicant) and D	ritten correspondence between myself (the WER, regarding the subject of this g exclusively via email, using the email rovided above.	×	
2.4	Registered office address, as registered with the Australian Securities and Investments Commission (ASIC): This must be a physical address to which a Part V document may be delivered.	Level 17, 216 St Georges PERTH, WA 600			
2.5	Postal address for all other correspondence: If different from Section 2.4.				-
2.6	Contact person details for DWER enquiries relating to	Name			
	the application (if different from the authorised representative):	Position	Senior Approvals Specialist		
	For example, could be a consultant or a site-based	Organisation	Talison Lithium Australia Pty Ltd		
	employee.	Address			
		Telephone			
		Email			
2.7	Occupier status: Occupier is defined in s.3 of	Registered propr	ietor on certificate of title.		
	the EP Act and includes a	Lease holder (ple	ease specify, including date of expiry of lease).		×

	person in occupation or	M01/3 - Expires 27/12/2026		
	control of the premises, or occupying a different part of	M01/6 - Expires 27/12/2026		
	the premises whether or not	M01/7 - Expires 27/12/2026		
	that person is the owner. Note: if a lease holder, the	M01/8 - Expires 27/12/2026		
	applicant must be the holder	M01/9 - Expires 27/12/2026		
	of an executed lease, not just an agreement to lease.	representation of the commencement		
	just all agreement to lease.	M01/16 - Expires 05/06/2028		
		G01/1 - Expires 05/06/2028		
		G01/04 - Expires 20/04/2043		
		L70/232 – Expires 20/04/2043		
		L70/244 - Expires 15/08/2044		
		Public authority that has care, control, or management of the	land.	
		Other evidence of legal occupation or control (please specify example, joint venture operating entity, contract, letter of operating entity, control, or other legal document or evidence of legal occupations.)	rational	
			rational ion).	
Attac	hments	example, joint venture operating entity, contract, letter of ope	rational	Yes
Attac	hments Attachment 1A: Proof of occupier status	example, joint venture operating entity, contract, letter of ope	rational ion).	
THE STREET	Attachment 1A: Proof of	example, joint venture operating entity, contract, letter of operating control, or other legal document or evidence of legal occupated and compared to the control of compared to the control of compared to the control of	rational ion).	
2.8	Attachment 1A: Proof of occupier status Attachment 1B: ASIC	control, or other legal document or evidence of legal occupate control, or other legal document or evidence of legal occupate control, or other legal document or evidence of legal occupate control, or other legal document or evidence of legal occupate control evidencing proof of occupier status, including the expiry date or confirmation that there is no expiry date, have been provided and labelled as Attachment 1A. A current company information extract (not the company information summary) purchased from the ASIC website(s) for all new applications / registrations has been provided	N/A	Yes
2.9	Attachment 1A: Proof of occupier status Attachment 1B: ASIC company extract Attachment 1C: Authorisation to act as representative of the	control, or other legal document or evidence of legal occupate control, or other legal document or evidence of legal occupate control, or other legal document or evidence of legal occupate control, or other legal document or evidence of legal occupate control co	N/A	Yes
2.9	Attachment 1A: Proof of occupier status Attachment 1B: ASIC company extract Attachment 1C: Authorisation to act as representative of the occupier	Copies of certificate of title, lease, or other instruments evidencing proof of occupier status, including the expiry date or confirmation that there is no expiry date, have been provided and labelled as Attachment 1A. A current company information extract (not the company information summary) purchased from the ASIC website(s) for all new applications / registrations has been provided and labelled as Attachment 1B. A copy of the documentation authorising the applicant to act on the occupier's behalf as their authorised agent/representative has been provided and labelled as Attachment 1C.	N/A	Yes

3.1	Premises description (whole or part to be specified): Include the land description (volume and folio number, lot, or location number/s), Crown lease or reserve number; pastoral lease number; or mining tenement number (as appropriate), of all properties, as shown on title details registered with Landgate. Premises street address Include the suburb.	Maranup Ford Road GREENBUSHES WA 6254 Legal description - Mining tenements M01/3, M01/6, M01/7, M01/8, M01/9 and M1/16 L70/232 and L70/244 General purpose lease G01/1 and G1/04
		Talison Lithium Mine Maranup Ford Road Greenbushes WA 6254
	Premises name (if applicable):	Talison Lithium Mine
3.2	Local Government Authority area: City, Town, or Shire.	Shire of Bridgetown - Greenbushes

Part 3:	Premises details			
3.3	OPS (latitude and longitude) coordinates: OPS coordinates determined using the GDA 2020 (Geographic latitude / longitude) coordinate system and datum must be provided for all points around the proposed premises boundary, where the entirety of the cadastre (land parcel) or mining tenements are not used as the premises boundary.			
Attach	ments		N	I/A Yes
3.4	Attachment 2: Premises map(s)	You must provide as an attachment to this application Attachment 2, either: 1. an aerial photograph, map, and site plan of showing the proposed prescribed premises or 2. where available, a map of the proposed presite plan as an ESRI shapefile (accepted file. ship., prj., and .shx) with the following propersuitable portable digital storage device, if strin hard copy form): • Geometry type: Polygon Shape • Coordinate system: GDA 2020 (Geogrationgitude) • Datum: GDA 2020 (Geocentric Datum of Coordinate system): GDA 2020 (Geocentric Datum of Coordinate system): and labelling: • Layout of key infrastructure and buildings: • the premises boundary (where the premises in the Lot Number for which the premises in the Lot Number for which the premises in emission and discharge points (with premises available); • monitoring points (with precise GPS coordinate system): • sensitive receptors and land uses • all areas proposed to be cleared (if applications): Maps must contain a north arrow, clearly marking the activities are carried out. The map or maps of reasonable clarity and have a visible scale.	sufficient scale boundary mises boundary and e types include dbf, erties (provided on a abmitting application phic latitude / of Australia 2020). escribed premises, s, clearly labelled, ises boundary does al boundary, identify s part of); cise GPS coordinates irdinates where	X

Part 4: Proposed activities

- You must provide a description and the scope, size and scale of all prescribed activities of Schedule 1 to the EP Regulations including the maximum production or design capacity of each prescribed activity.
- If applying for a works approval or licence amendment involving the construction of new infrastructure, you must provide information on infrastructure to be constructed and how long construction is expected to take. You must confirm if commissioning is to occur and how long it will take.
- If applying for a works approval or licence amendment not involving the construction of new infrastructure, provide details of the proposed amendment.
- You must identify all emission sources on the premises map/s.
- You must also provide information on activities which directly relate to the prescribed premises category
 which have, or are likely to result in, an emission or discharge.
- If clearing activities are proposed provide a description and details. If a relevant exemption under Schedule 6 of the EP Act or r.5 of the Environmental Protection (Clearing of Native Vegetation) Regulations 2004 (WA) (Clearing Regulations) may apply, provide details.

Part 4: Proposed activities

- Note that in some cases, DWER may require that the clearing components of a works approval or licence (or amendment) application be submitted separately through the clearing permit application process.
 Refer to the <u>Procedure: Prescribed premises works approvals and licences</u> for further guidance.
- Please note that the requested information is critical to DWER's understanding of the proposed activities.
 The more accurate, specific, and complete the information provided in the application, the less
 uncertainty that DWER may identify in the application, therefore facilitating completion of the assessment
 in a more efficient and timely manner.

4.1 Prescribed premises infrastructure and equipment

In Table 4.1 (below), provide a list of all items of infrastructure and equipment within the boundary of the prescribed premises relevant to this application, and include the following details for each

- relevant categories (if known) the categories of prescribed premises (as listed under Schedule 1
 of the EP Regulations) that relate to that infrastructure or equipment;
- site plan reference = the location of that infrastructure or equipment (with reference to the site plan
 map or maps provided above in Section 3.4 and labelled as Attachment 2 = e.g. use GPS
 coordinates or a clear description such as "labelled as [label on premises map] on Map A");
- is it critical containment infrastructure (CCI)? indicate if the identified infrastructure or
 equipment would be categorised as CCI. Refer to the <u>Guideline Industry Requiation Guide to
 Licensing</u> for further information on CCI, and
- is environmental commissioning required? indicate if environmental commissioning is intended
 to be undertaken for that item of infrastructure or equipment. Refer to the <u>Guideline: Industry</u>
 <u>Regulation Guide to Licensing</u> for further information on environmental commissioning.

Add additional rows to Table 4.1 (below) as required.

Table 4.1: Infrastructure and equipment

	Infrastructure and equipment	Relevant categories (if known)	Site plan reference	CCI? (mark if yes)	Environmental commissioning? (mark if yes)
1	Chemical Grade Plant 2 Wedge Pit	Category 61: Liquid waste facility	Figure 1		
2	Clear Water Dam	Category 5: Processing or beneficiation of metallic or non-metallic ore Category 61: Liquid waste facility	Figure 1	Ø	
3.	Arsenic Remediation Unit	Category 5: Processing or beneficiation of metallic or non-metallic ore Category 61: Liquid waste facility	Figure 1		

4.2 Detailed description of proposed activities or proposed changes (if an amendment):

You must provide details of proposed activities relevant to this application within the boundary of the prescribed premises, identifying:

- scope, size, and scale of the project, including details as to production or design capacity (and/or frequency, if applicable);
- · key infrastructure and equipment,
- description of processes or operations (a process flow chart may be included as an attachment);
- · emission / discharge points;
- · locations of waste storage or disposal
- · activities occurring during construction, environmental commissioning, and operation (if applicable)

If assessment and imposition of conditions to allow environmental commissioning to be undertaken are requested, please provide an environmental commissioning plan as Attachment 3A (see 4.11 below).

Additional information relating to the proposed activities may be included in Attachment 3B (see 4.12 below).

Construction activities (if applicable):				
N/A				

Part 4: Proposed activities

Environmental commissioning activities (if applicable):

Refer to the Guideline Industry Regulation Guide to Licensing for further guidance

N/A

Time limited operations activities (if applicable):

Different elements of the premises may require time limited operations to commence at different times. In these circumstances, please specify the infrastructure and/or equipment for which time limited operations authorisation is being applied for.

If time limited operations are expected to differ from future licensed operations, specify how and why this would be the case.

Refer to the Guideline: Industry Regulation Guide to Licensing for further guidance.

N/A

Operations activities (for a licence):

The scope of this Licence Amendment Application is limited to:

acceptance of up to 15,000 tonnes per year of liquid waste with arsenic content of up to 500mg/L.

The source of the waste water is drainage from ore that is mined by Talison Lithium Australia Pty Ltd (Talison) at the Talison Lithium Mine and stored at Talison's bulk handling facility at the Port of Bunbury. The waste water is proposed to be transported by a Licensed controlled waste contractor from port to the Premises, where it would be discharged to the Chemical Grade Plant #2 (CGP2) Wedge Pit. The wedge pit reports to Clear Water Dam (CWD), from which impacted water is pumped and treated by the Arsenic Remediation Unit (ARU) to lower the arsenic content. CGP2 (including the Wedge Pit), CWD and the ARU have all previously been assessed and are approved under Part V of the Environmental Protection Act 1986. Infrastructure relevant to this proposal, as described above, is shown in Figure 1, attached

	Infrastructure relevant to this proposal, as described above, is shown in F	igure 1, attached.
4.3	Estimated operating period of the project / premises (e.g. based on estimated infrastructure life):	No change from L4247/1991/13.
4.4	Proposed date(s) for commencement of works (if applicable):	August 2025
4.5	Proposed date(s) for conclusion of works construction (if applicable): This date should coincide with the submission to DWER of an Environmental Compliance Report(s) and/or a Critical Containment Infrastructure Report(s) as required.	N/A
	Refer to the Guideline Industry Regulation Guide to Licensing.	
4.6	Proposed date(s) for environmental commissioning of works (if applicable): Refer to the <u>Guideline_Industry Regulation Guide to Licensing</u> .	N/A
4.7	Proposed date/s for commencement of time limited operations under works approval (if applicable): Refer to the <u>Guideline Industry Regulation Guide to Licensing.</u>	N/A
4.8	Maximum production or design capacity for each category applied for (based on infrastructure operating 24 hours a day, 7 days a week): Provide figures for all categories listed in Section 1.2. Units of measurement must be the same as the units of measurement associated with the relevant category as identified in Schedule 1 of the EP Regulations.	Category 5: •7,100,000 tonnes beneficiated per annual period. •5,200,000 tonnes of tailings deposited per annual period. Category 54: •125 cubic metres per day. Category 61: •15,000 tonnes per year
4.9	Estimated / actual throughput for each category applied for: Provide figures for all categories listed in Section 1.2. Units of measurement must be the same as the units of measurement associated with the relevant category as identified in Schedule 1 of the EP Regulations.	Category 5: •7,100,000 tonnes beneficiated per annual period. •5,200,000 tonnes of tailings deposited per annual period.

	Proposed activities				
			Category 54: •125 cubic Category 61: •15,000 ton	mmaraboux pt o	
Attach	ments			N/A	Yes
4.10	Attachment 2: Premises map	Emission/discharge points are clearly labelled required for Part 3.4 (Attachment 2).	on the map/s		×
4.11	Attachment 3A: Environmental commissioning plan	If applying to construct works or install equipment, and environmental commissioning of the works or equipment is planned, an environmental commissioning plan has been included in Attachment 3A.		×	
		The environmental commissioning plan is expe at minimum, identification of:	octed to include,		
		 the sequence of commissioning activities to be undertaken, including details on whether they will be done in stages. 			
		 a summary of the timeframes associated identified sequence of commissioning 			
		 the inputs and outputs that will be use commissioning process; 	ed in the		
		 the emissions and/or discharges expediting commissioning; 			
		 the emissions and/or discharges that monitored and/or confirmed to establish steady-state operation (e.g. identifyin surrogates, etc.), including a detailed monitoring program for the measuren emissions and/or discharges; 	sh or test a g emissions emissions		
		 the controls (including management a be put in place to address the expect and/or discharges; 			
		 any contingency plans for if emissions exceedances or unplanned emissions and/or discharges occur 			
		 how any of the above would differ from operations once commissioning is contained. 			
		Note that DWER will not include conditions on instrument that authorise environmental comm activities where it is not satisfied that the risks environmental commissioning can be adequate	issioning associated with		
4.12	Attachment 3B: Proposed activities	Additional information relating to the proposed been included in Attachment 3B (if required).	activities has	⊠	
	ng activities				
4.13 to	4.19 are only required if t	the application includes clearing of native vegetati	on.		
4.13	Proposed clearing are trees to be removed):	a (hectares and/or number of individual	No clearing requ	uired	
4.14	Details of any relevant Refer to DWER's <u>A quit</u> native vegetation.	t exemptions: de to the exemptions and regulations for clearing	N/A		
4.15	Proposed method of o	slearing:	N/A		
4.16	Period within which cl For example, May 2020	learing is proposed to be undertaken: - June 2020.	N/A		
4.17	Purpose of clearing:				
()	N/A				

Part 4: Proposed activities						
Cleari	earing activities – Attachments					
4.18	Attachment 3C: Map of area proposed to be cleared	You must provide: an aerial photograph or map of sufficient scale showing the proposed clearing area and prescribed premises boundary OR if you have the facilities, a suitable portable digital storage device of the area proposed to be cleared as an ESRI shapefile with the following properties: • Geometry type: Polygon Shape • Coordinate system: GDA 2020 (Geographic latitude / longitude) • Datum: 2020 1994 (Geocentric Datum of Australia 2020).	⊠			
4.19	Attachment 3D: Additional information for clearing assessment	Additional information to assist in the assessment of the clearing proposal may be attached to this application (for example, reports on salinity, fauna or flora studies or other environmental reports conducted for the site).	⊠			

Part 5: Index of Biodiversity and Marine Surveys for Assessments (IBSA and IMSA)

- Biodiversity surveys should be submitted through the IBSA Submissions Portal at ibsasubmissions.dwer.wa.gov.au
- Biodiversity surveys submitted to support this application must meet the requirements of the EPA's
 Instructions for the preparation of data packages for the Index of Biodiversity Surveys for Assessments
 (IBSA).
- Marine surveys submitted to support this application must meet the requirements of the EPA's Instructions for the preparation of data packages for the Index of Marine Surveys for Assessments (IMSA).
- . If these requirements are not met, DWER will decline to deal with the application.

Attac	hments				N/A	Yes
5.1	Biodiversity surveys Please provide the IBSA number(s) (or submission number(s) if IBSA number has not yet been issued) in the space provided. Note that a submission number is not confirmation of acceptance of a biodiversity survey and is not the same as an IBSA number. IBSA numbers are only issued once a survey has been accepted. Once an IBSA number is issued, please notify the department.		All biodiversity surveys submitted with this application meet the requirements of the EPA's <u>Instructions for the preparation of data packages for the Index of Biodiversity Surveys for Assessments (IBSA).</u>		×	
			Submission number(s)	N/A		71-
			IBSA number(s)	N/A		
5.2	Attachment 4: Marine surveys	requirements of the	submitted with this applical EPA's <u>Instructions for the</u> dex of Marina Surveys for	preparation of data	×	

Part 6	i: Other DWER approvals	
• 1:	application, you must provide relevant details.	approvals within DWER that may be relevant to this osal to the Environmental Protection Authority (EPA),
Pre-a	pplication scoping	·
6.1	Have you had any pre-application / pre- referral / scoping meetings with DWER regarding any planned applications?	□ No ☑ Yes – provide details: Discussions and emails between
Envir	onmental impact assessment (Part IV of the EP	Act)
6.2	Have you referred or do you intend to refer the proposal to the EPA? Section 37B(1) of the EP Act defines a 'significant proposal as 'a proposal likely, if implemented, to have a significant effect on the environment". If DWER considers that the proposal in this application is likely to constitute a 'significant proposal', DWER is required under s. 38(5) of the EP Act to refer the proposal to the EPA for assessment under Part IV, if such a referral has not already been made. If a relevant Ministerial Statement already exists, please provide the MS number in the space provided.	□ Yes (referred) – reference (if known): [□ Yes – intend to refer (proposal is a 'significant proposal') □ Yes – intend to refer (proposal will require a s.45C amendment to the current Ministerial Statement): □ MS [□ No – a valid Ministerial Statement applies: MS [1111] □ No – not a 'significant proposal'
Clear	ing of native vegetation (Part V Division 2 of the	EP Act and Country Area Water Supply Act 1947)
6.3	Have you applied or do you intend to apply for a native vegetation clearing permit? In accordance with the <u>Guideline Industry</u> Regulation Guide to Licensing and <u>Procedure Native vegetation clearing permits</u> , where clearing of native vegetation: • is exempt under Schedule 6 of the EP Act or the Environmental Protection (Clearing of Native Vegetation) Regulations 2004 (WA) (refer to A guide to the exemptions and regulations for clearing native vegetation) • is being assessed by a relevant authority which would lead to an exemption under Schedule 6 of the EP Act, or • has been referred under s.51DA of the EP Act and a determination made that a clearing permit is not required (refer to the <u>Guideline Native vegetation clearing referrals</u>), the cleaning will not be reassessed by DWER or be subject to any additional controls by DWER. If the proposed cleaning action is to be assessed in accordance with, or under, an <u>Environment Protection and Biodiversity Conservation Act</u> (Cth) (EPBC Act) accredited process, such as the assessment bilateral agreement, the clearing permit application <u>Form Annex CT - Assessment bilateral agreement</u> must be completed and attached to your clearing permit application.	Yes = clearing application reference (if known): CPS [] Yes = a valid EP Act clearing permit already applies: CPS [] No = this application includes clearing (please complete Sections 4.13 to 4.19 above) No = permit not required (no clearing of native vegetation) No = permit not required (clearing referral decision): CPS [] No = an exemption applies (explain why):

6.4	And the Control of th	4		
Water 6.5 Part 7	Have you applied or do you intend to apply for a Country Area Water Supply Act 1947 licence? If a clearing exemption applies in a Country Area Water Supply Act 1947 (CAWS Act) controlled catchment, or if compensation has previously been paid to retain the subject vegetation, a CAWS Act clearing licence is required. If yes, contact the relevant DWER regional office for a Form 1 Application for licence. Map of CAWS Act controlled catchments Ilicences and permits (Rights in Water and Irrights in Water and Irrights) Have you applied, or do you intend to apply for: 1. a licence or amendment to a licence to take water (surface water or groundwater); or 2. a licence to construct wells (including bores and soaks); or 3. a permit or amendment to a permit to interfere with the bed and banks of a watercourse? For further guidance on water licences and permits under the Rights in Water and Irrigation Act 1914, refer to the Procedure: Water licences and permits. **COther approvals and consultation** RUCTIONS: Please provide copies of all relevant documents.	☐ Yes –application reference (if known ☐ No – a valid licence / permit applies: ☐ No – an exemption applies (explain to licence / permit not required) ☑ No – licence / permit not required): [[] why):	
٠	Please provide copies of all relevant documes exclusions, or expiry dates. "Major Project" means:	ntation indicated below, including any co	onditions	
	 A State Development Project, where the leand Innovation (including projects to which A Level 2 or 3 proposal, as defined in the Framework. 	h a State Agreement applies); or	ourism, So	cience
		1 200	ad Agenc	
7.		N/A	No	Yes
27523	Is the proposal a Major Project?	N/A	100	
CHAR	Is the proposal a Major Project? Is the proposal subject to a State Agreement		100	Yes
C152.11			No 🗆	Yes
7.1	Is the proposal subject to a State Agreement	Act?	No 🗆	Yes
7.2	Is the proposal subject to a State Agreement If yes, specify which Act: Has the proposal been allocated to a "Lead Agency Framework)?	Act?	No S	Yes 🖂
7.2	Is the proposal subject to a State Agreement If yes, specify which Act: Has the proposal been allocated to a "Lead Agency Framework)?	Agency" (as defined in the <u>Lead</u> Department of Jobs , Tourism, Science and Project Manager - Case Major Projects Facilitation	No S	Yes
7.2	Is the proposal subject to a State Agreement If yes, specify which Act. Has the proposal been allocated to a "Lead Agency Framework)? If yes, specify Lead Agency contact details: Has the proposal been referred and/or asses (Commonwealth)?	Agency" (as defined in the Lead Department of Jobs , Tourism, Science and Project Manager – Case Major Projects Facilitation	No S	Yes 🖂 🖂 🖂

LECTION A	Other approvals and consultation			- 1
	If planning approval is necessary but has not been obtained, please provide detail	s indicatin	g why:	
	N/A			
	If planning approval is not necessary, please provide details indicating why:			
	Planning approval does not apply to projects regulated under the Mining Act 1978			
7.6	For renewals or amendment applications, are the relevant planning approvals still valid (that is, not expired)?	\boxtimes		
7.7	Has the proposal obtained all other necessary statutory approvals (not including any other DWER approvals identified in Part 6 of this application)?	×		
	If no, please provide details of approvals already obtained, outstanding approvals obtaining these outstanding approvals:	and expe	cted dates	for
		N/A	No	Yes
7.8	Has consultation been undertaken with parties considered to have a direct interest in the proposal (that is, interested parties or persons who are considered to be directly affected by the proposal)? DWER will give consideration to submissions from interested parties or persons in accordance with the Guideline: Industry Regulation Guide to Licensing.	×		
Attach	ments		N/A	Yes
7.9	Attachment 5: Other approvals specified in Part 7 of this approvals and consultation application, including copies of relevant decisions a consultation undertaken with direct interest stakehold and labelled Attachment 5.	nd any	×	
Part 8:	Applicant history			
• 11	WER will undertake an internal due diligence of the applicant's fitness and co WER's compliance records and the responses to Part 8 of the form. I you wish to provide additional information for DWER to consider in making the provide that information as a separate attachment (see Part 11).	AT CONTRACTOR OF THE		
		N/A	No	Yes
8.1	If the applicant is an individual, has the applicant previously held, or do they currently hold, a licence or works approval under Part V of the EP Act?	×		
8.2	If the applicant is a corporation, has any director of that corporation previously held, or do they currently hold, a licence or works approval under Part V of the EP Act?			×
8.3	If yes to 8.1 or 8.2 above, specify the name of company and/or licence or works a	approval n	umber:	
	Talison holds the following licences and works approvals.			
	L4247/1991/13: Talison Lithium Mine			
	 W6283/2019/1: Mine Expansion 			
	 W6618/2021/1: Construction of TSF4 			
	 W6773/2023/1: Construction of a WWTP (temporary camp) 			
	[14]			
	W6795/2023/1: Construction of Cowan Brook Dam embankment raise			

ration ever been of the EP Act, its ealth-related the management been convicted of, ct, its subsidiary d legislation in ration ever been a d a penalty, for an on, or similar orn Australia or			
ration ever been a d a penalty, for an on, or similar	_		
id a penalty, for an on, or similar orn Australia or		\boxtimes	
any legal inst the applicant egislation, or i Western Australia		⊠	
or revoked due to ar environmental elsewhere in		×	
ration ever had a ch of conditions or on or health-related			
ration ever been a other authorisation ence under the EP ation in Western		⊠	
any charges, convicti revoked	ons, per	alties pai	d for an
1	Western Australia or revoked due to ar environmental elsewhere in ration ever had a ch of conditions or on or health-related ration ever been a other authorisation ence under the EP ation in Western any charges, convicti	or revoked due to ar environmental elsewhere in ration ever had a ch of conditions or on or health-related ration ever been a other authorisation ence under the EP ation in Western	or revoked due to ar environmental elsewhere in ration ever had a ch of conditions or on or health-related ration ever been a other authorisation ence under the EP ation in Western any charges, convictions, penalties paid

emission or discharge type discharge discharge frequency in Attachment 6A if extensive or complex) Storage in Clear Water dam (CWD), treatment by existing onsite Arsenic Remediation Unit (ARU) and reverse Osmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Talison Lithium Mine management plans, emission and discharge controls, and monitoring network as previously assessed and approved (no changes proposed). This is an existing activity, ongoing for ~30 years, and has been shown to not impact the Mine Water Circuit or the environment. If the Licence is amended Talison will submit a Form 14 — Application to list a waste facility to be registered in the Controlled Water Tracking	emissions from stacks, chimneys or baghouses) Wastewater discharges (a.g. freated sewage, wash weter, or process water discharged to lands or waters) Noise (e.g. from machinery operations and/or vehicle operations) Noise (e.g. from machinery operations and/or vehicle operations) Contaminated or potentially contaminated stormwater (e.g. stormwater with the potential to come into contact with chemicals or waste materials, etc.) Other (please specify): [1 Note that for electromagnetic radiation, copies/details of other relevant approvals (such as from the Department of Mines, Industry Regulation and Safety or the Radiotogical Council) must be provided where applicable. Details of any pollution control equipment or weste treatment system, including any control mechanisms to ensure proper operation of this equipment, must be included in the proposed controls column of the "Emissions and discharges table below. Details of management measures employed to control emission should also be included. Please provide / attach any relevant documents (e.g., management plans, etc.). Additional rows may be added as required and/or further information may be included as an attachment (accompanie). The proposed controls column of the extensive or complex) Source of emission or discharge Source of emission or discharge type dry (typically accompanie). The proposed controls (include in a tatachment (APU), incatment by existing consite. Areain Extendiation Unit (APU) and reverse complex). Up to 40 tonnes per day (typically assessed and approved (no changes or ore stockpile). The proposed of the reverse or complex or proviously assessed and approved (no changes or proviously assessed and appro	-	Abelilos Decholos doci C.	s, and waste				
wash water, or process water discharged to lands or waters) Notise (e.g. from machinery operations and/or vehicle operations) Contaminated or potentially contaminated stormwater (e.g. stormwater with the potential to come into contact with chemicals or waste materials, etc.) Other (please specify): [wash water, or process water discharged to lands or waters) waters) waters Notes (e.g. from machinery operations and/or vehicle operations) Contaminated or potentially contaminated stormwater (e.g. stormwater with the potential to come into contact with chemicals or waste materials, etc.) Other (please specify): [] Note that for electromagnetic radiation, copies/details of other relevant approvals (such as from the Department of Mines, Industry Regulation and Safety or the Radiotogical Council) must be provided where applicable. Details of any pollution control equipment or waste treatment system, including any control mechanisms to ensure proper operation of this equipment, must be included in the proposed controls column of the "Emissions and discharges table below. Details of management measures employed to control ensures should also be included. Please provide / attach any relevant documents (e.g. management plans, etc.). Additional rows may be added as required and/or further information may be included as an attachment (section 9.3). Table 9.1: Emissions and discharges Source of Emission or discharge type for emission or discharge type (Vypically carry for stockpile (at Port of Bunbury) Drainage of ore stockpile (at Port of Bunbury) Waste water and the License is amended Tailson will submit a Form 14. Application to list a waste facility, in the Licence is amended Tailson will submit a Form 14. Application to list a waste facility is a waste facility to be registered in the Controlled waste facility.						sealed roads	
vehicle operations) landfills, storage or processing of waste or other odorous materials, etc.) Contaminated or potentially contaminated stormwater (e.g. stormwater with the potential to come into contact with chemicals or waste materials, etc.) Other (please specify): [] 1 Note that for electromagnetic radiation, copies/details of other relevant approvals (such as from the Department of Mines, Industry Regulation and Safety or the Radiological Council) must be provided where applicable. Details of any pollution control equipment or waste treatment system, including any control mechanisms of the Emissions and discharge stable below. Details of management measures employed to control emissions should also be included. Please provide / attach any relevant documents (e.g., management plans, etc.). Additional rows may be added as required and/or further information may be included as an attachment (section 9.3). Table 9.1: Emissions and discharges Source of emission or discharges Source of emission or discharge type or discharge (CVD), treatment by existing onsite Arsenic Remediation Unit (ARQ) and reverse Oxmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Tailson Unit (ARQ) and reverse Oxmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Tailson Unit (ARQ) and reverse Oxmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Tailson Unit (ARQ) and reverse Oxmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Tailson Unit (ARQ) and reverse Oxmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Tailson Unit (ARQ) and reverse Oxmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Tailson (WTP), and existing Tailson (WTP), and existing Tailson (WTP), and existing Tailson (WTP), treatment by existing onsite Arsenic Remediation Unit (ARQ) and reverse Oxmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Tailson (WTP), treatment by existing onsite Arsenic Remediation Unit (ARQ) and reverse Oxmosis/Salt Crystalliser Wa	Contaminated or potentially contaminated stormwater (e.g. stormwater (e.g. stormwater with the potential to come into contact with chemicals or waste materials, etc.) Other (please specify): [was	h water, or proce		d to lands s	seepage, leaks and spills of waste from storage,		
stormwater (e.g. stormwater with the potential to come into contract with chemicals or waste materials, etc.) Other (please specify): [stormwater (e.g., stormwater with the potential to come into contact with chemicals or waste materials, etc.) Other (please specify): [-100	machinery operatio	ŀ	andfills, storage or processing of		
Details of any pollution control equipment or waste treatment system, including any control mechanisms use to ensure proper operation of this equipment, must be included in the proposed controls column of the 'Emissions and discharges table' below. Details of management measures employed to control emissions should also be included. Please provide / attach any relevant documents (e.g. management plans, etc.). Additional rows may be added as required and/or further information may be included as an attachment (section 9.3). Table 9.1: Emissions and discharges Source of emission or discharge type Volume and frequency Proposed controls (include in Attachment 6A if extensive or complex)	Details of any pollution control equipment or waste treatment system, including any control mechanisms to ensure proper operation of this equipment, must be included in the proposed controls column of the 'Emissions and discharges table' below. Details of management measures employed to control emission should also be included. Please provide / attach any relevant documents (e.g. management plans, etc.). Additional rows may be added as required and/or further information may be included as an attachment (Section 9.3). Table 9.1: Emissions and discharges Source of emission or discharge type of discharge (CVD), treatment by existing onsite Arsenic Remediation Unit. (ARU) and revorse Osmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Talison Lithium Mine management plans, emission and discharge controls, and monitoring network as proyosed, in the control of the monitoring network as proyosed. This is an existing activity, ongoing for -30 years, and has been shown to not impact the Mine Water Circuit or the onvironment. If the Licence is amended Talison will submit a Form 14 — Application to list a wasto facility to be registered in the Controlled Water Tracking System as a controlled waste facility.	stor	mwater (e.g. sto ne into contact w	rmwater with the po	tential to	☐ Electromagnetic radiation ¹		
Details of any pollution control equipment or waste treatment system, including any control mechanisms to ensure proper operation of this equipment, must be included in the proposed controls column of the 'Emissions and discharges table' below. Details of management measures employed to control emissions should also be included. Please provide / attach any relevant documents (e.g. management plans, etc.). Additional rows may be added as required and/or further information may be included as an attachment (section 9.3). Table 9.1: Emissions and discharges Source of emission or discharge type discharge type of emission or discharge (CWD), treatment 6A if extensive or complex) Storage in Clear Water dam (CWD), treatment by existing onsite Arsenic Remediation Unit (ARU) and reverse Osmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Talison Lithium Mine management plans, emission and discharge controls, and monitoring network as previously assessed and approved (no changes proposed). This is an existing activity, ongoing for -30 years, and has been shown to not impact the Mine Water Circuit or the onvironment. If the Licence is amended Talison will submit a Form 14 — Application to list a waste facility to be registered in the Controlled Water Tracking	Details of any pollution control equipment or waste treatment system, including any control mechanisms: to ensure proper operation of this equipment, must be included in the proposed controls column of the 'Emissions and discharges table' below. Details of management measures employed to control emission should also be included. Please provide / attach any relevant documents (e.g. meanagement plans, etc.). Additional rows may be added as required and/or further information may be included as an attachment (Section 9.3). Table 9.1: Emissions and discharges Source of emission or discharge type Trequency Proposed controls (include in Attachment 6A If extensive or complex)		Other (please sp	ecify): [<u>į</u>		
to ensure proper operation of this equipment, must be included in the proposed controls column of the "Emissions and discharges table' below. Details of management measures employed to control emissions should also be included. Please provide / attach any relevant documents (e.g. management plans, etc.). Additional rows may be added as required and/or further information may be included as an attachment (section 9.3). Table 9.1: Emissions and discharges Source of emission or discharge type Froposed controls (include in Attachment 6A if extensive or complex)	to ensure proper operation of this equipment, must be included in the proposed controls column of the 'Emissions and discharges table' below. Details of management measures employed to control emission should also be included. Please provide / attach any relevant documents (e.g. management plans, etc.). Additional rows may be added as required and/or further information may be included as an attachment (section 9.3). Table 9.1: Emissions and discharges Source of emission or discharge type Source of emission or discharge type Storage in Clear Walter dam (CWD), treatment by existing onsite Arsenic Remediation Unit (ARU) and reverse Osmosis/Salt Crystalliser Walter treatment Plant (WTP), and existing Talison Lithium Mine management plans, emission and discharge controls, and monitoring network as previously assessed and approved (no changes proposed). This is an existing activity, ongoing for ~30 years, and has been shown to not impact the Mine Water Circuit or the environment. If the Licence is amended Talison will submit a Form 14 — Application to list a waste facility to be registered in the Controlled Water Tracking System as a controlled waste facility.							
Drainage of ore stockpile (at Port of Bunbury) Waste water Up to 40 tonnes per day (typically ~25 tonnes per day) Waste water Up to 40 tonnes per day (typically ~25 tonnes per day) Waste water Up to 40 tonnes per day (typically ~25 tonnes per day) If the Licence is amended Talison will submit a Form 14 — Application to list a waste facility to be registered in the Controlled Water Tracking	Drainage of ore stockpile (at Port of Bunbury) Waste water Up to 40 tonnes per day (typically ~25 tonnes per day (typically ~25 tonnes per day) Storage in Clear Water dam (CWD), treatment by existing onsite Arsenic Remediation Unit (ARU) and reverse Osmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Tailson Lithium Mine management plans, emission and discharge controls, and monitoring network as previously assessed and approved (no changes proposed). This is an existing activity, ongoing for ~30 years, and has been shown to not impact the Mine Water Circuit or the environment. If the Licence is amended Tailson will submit a Form 14 — Application to list a waste facility to be registered in the Controlled Water Tracking System as a controlled waste facility.	'Emis shoul Addit Secti	ssions and dischald also be included ional rows may to 9.3). a 9.1: Emissional Source of emission or	arges table below. I ed. Please provide one added as require and discharges Emission or	Details of mana, attach any rele d and/or further Volume and	gement measures employed to covant documents (e.g. manageme information may be included as a second proposed controls (include in Attachment 6A if	ontrol emissions ent plans, etc.). an attachment (s Location (on site layout pla	
System as a controlled	waste facility.	1.	Drainage of ore stockpile (at Port of	Waste water	tonnes per day (typically ~25 tonnes	Storage in Clear Water dam (CWD), treatment by existing onsite Arsenic Remediation Unit (ARU) and reverse Osmosis/Salt Crystalliser Water treatment Plant (WTP), and existing Talison Lithium Mine management plans, emission and discharge controls, and monitoring network as previously assessed and approved (no changes proposed). This is an existing activity, ongoing for		

: Emiss	ons, discharges, and waste		
(a)	Is waste accepted at the premises?		×
(b)	Is waste produced on the premises?		×
(c)	Is waste processed on the premises?	×	
(d)	Is waste stored on the premises?		×
(e)	Is waste buried on the premises?		×
(f)	Is waste recycled on the premises?	×	
(g)	Is any of the waste listed in Table 9.2 (below) also considered a 'dangerous good' for the purposes of the Dangerous Goods Safety (Storage and Handling of Non-Explosives) Regulations 2007? ³	×	
	Specify, if yes:		3

Solid waste types must be described with reference to Landfill Waste Classification and Waste Definitions 1996 (as amended from time to time) and the Environmental Protection (Controlled Waste) Regulations 2004 (Controlled Waste Regulations).

Liquid waste types must be described with reference to the Controlled Waste Regulations.

For further guidance on the definition of waste, refer to Fact Sheet. Assessing whether material is waste,

Detail must be provided on storage type (for example, hardstand and containment infrastructure), capacity, likely storage volumes, and containment features (for example, lining and bunding).

Additional rows may be added as required and/or further information may be included as an attachment (see Section 9.4).

Table 9.2 Waste types

	Waste type	Quantity (e.g. tonnes, litres, cubic metres)	Waste activity infrastructure (including specifications)	Monitoring (if applicable)	Location (on site layout plan – see 3.4)
1.	Inert waste type 1, inert waste type 2, clean fill	450 tonnes per annum	Disposal within waste rock landform	Refer to Licence L4247/1991/13	
2.	Liquid waste	Up to 15,000 tonnes per year	CGP2 Wedge Pit, CWD and ARU	Refer to Licence L4247/1991/13	Figure 1
3.					1
4.					
5.				ľ	

Attachments			N/A	Yes
9.3 Attachment 6A: Emission and discharges (if require				
9.4	Attachment 6B: Waste acceptance (if required)	If required, further information for Section 9.2 has been included as an attachment labelled Attachment 6B.	\boxtimes	

³ Wastes derived from the storage, handling, and use of dangerous goods may be considered hazardous and may need to be handled with the same precautions. Please refer to the Department of Mines, Industry Regulation and Safety's Dangerous Goods Safety information sheet for more information.

Part 10: Siting and location 10.1 Sensitive land uses No change from that previously assessed and approved. What is/are the distance(s) to the nearest sensitive land use(s)? A sensitive land use is a residence or other land use which may be affected by an emission or discharge associated with the proposed activities 10.2 Nearby environmentally sensitive receptors and aspects Identify in Table 10.2 (below): all instances of environmentally sensitive receptors that are known or suspected to be present within, or within close proximity to, the proposed prescribed premises boundary; the nature of the sensitive receptors (e.g. type of Threatened Ecological Community, species or threatened flora or fauna, etc.); their actual or approximate known distance and direction from the premises boundary (at the closest point/s); and if applicable, what measures have been or will be taken to ensure that sensitive receptors are not adversely impacted by any emissions or discharges from the premises. Refer to the Guideline: Environmental siting for further guidance. Table 10.2: Nearby environmentally sensitive receptors and aspects Type / Distance + Proposed controls to prevent or Description classification direction to mitigate adverse impacts (if applicable) premises boundary Environmentally No change from that previously assessed and approved. Sensitive Areas 1 Threatened Ecological Communities Threatened and/or priority fauna Threatened and/or priority flora Aboriginal and other heritage sites 2 Public drinking water source areas 3 Rivers, lakes, oceans, and other bodies of surface water, etc. Acid sulfate soils Other Environmentally Sensitive Areas are as declared under the Environmental Protection (Environmentally Sensitive) Notice 2005. Refer to DWER's website ("Environmentally Sensitive Areas") for further information. Refer to the Department of Planning, Lands and Hentage website for further information about Aboriginal heritage and other heritage sites. Refer to Water Quality Protection Note No.25. Land use compatibility tables for public drinking water source areas for further information. 10.3 Environmental siting context details Provide further information including details on topography, climate, geology, soil type, hydrology, and hydrogeology at the premises. No change from that previously assessed and approved. **Attachments** N/A Yes You must provide details and a map describing the siting and 104 Attachment 7: Siting

location of the premises, including identification of distances to

sensitive land uses and/or any specified ecosystems.

X

and location

Attach	ttachments			Yes
11.1	Attachment 8: Additional Information submitted	Applicants seeking to submit further information may include information labelled Attachment 8. If submitting multiple additional attachments, label them 8A, 8B, etc. Where additional documentation is submitted, please specify the name of documents below.	×	
	List title of additional document(s) attached:	N/A		Ser.

Attach	nments		N/A	Yes
12.1	Attachment 9: Category	DWER has developed category checklists to assist applicants with preparing their application.	×	
	checklist(s)	These checklists are available on DWER's website.		
		The relevant category-specific checklist(s) must be completed and included with the application, labelled as Attachment 9. If attaching multiple category checklists, label them 9A, 9B, etc.		
		Do not select "N/A" unless:		
		 a relevant category checklist is not yet published on DWER's website, or 		
		 the application is for an amendment that does not propose changes to the method of operation, or change the inputs, outputs, infrastructure, equipment, emissions, or discharges of / from the premises. 		
		Note that that a category checklist(s) may still be required for renewal applications. You will be advised in your renewal notification letter (sent approximately twelve months before the licence expiry date) if you are required to provide the information identified in a category checklist.		
		Where a category checklist is submitted, please specify which checklist(s) in the space below.		
	List title(s) of category checklists attached			1

Part 13	3: Proposed fee calculation			
INSTR	UCTIONS:			
Please	calculate the prescribed fee using the relevant online	ee calculator linked below.		
•	Licence: www.der.wa.gov.au/LicenceFeeCalculator			
Works approval: <u>www.der.wa.gov.au/WorksApprovalFeeCalculator</u>				
 Amendment: https://www.wa.gov.au/government/publications/works-approval-and-licence-amendment-fee-calculator 				
	ent fee units apply for different fee components. Fee un period in which the calculation is made.	ts may also have different amounts depending	1	
will be	OWER has confirmed that the application submitted me issued an invoice with instructions for paying your apprint of the section on fees can be found in the Fact Sheet: In	olication fee.		
13.1	Only the relevant fee calculations are to be completed as follows:	☐ Section 13.3 for works approval applications		
	[mark the box to indicate sections completed]	☐ Section 13.4 for licence / renewal applications ☐ Section 13.5 for registration applications		
		⊠ Section 13.6 for amendment applications		
		☐ Section 13.7 for applications requiring clearing of native vegetation	ng	
13.2	All information and data used for the calculation of propaccordance with Section 13.8.	osed fees has been provided in]	
13.3	Proposed works approval fee			
Propos	ed works approval fee (see Schedule 3 of the EP Regulation	ns)		
a	ees relate to the cost of the works, including all capital cost nd establishment of the works proposed under the works a osts associated with earth works, hard stands, drainage, place quipment and labour hire.	oproval application. This includes, for example,		
Costs	exclude:			
-th	ne cost of land			
	ne cost of buildings to be used for purposes unrelated to the rill become, prescribed premises	purposes in respect of which the premises are, or	r	
	osts for buildings unrelated to the prescribed premises activency fees relating to the works.	rity or activities		
(3)	mponent	Proposed fee		

\$

19

Cost of works: \$

13.4 Proposed licence fee (new licences and licence renewals)

Detailed licence fee calculations

Part 1 Premises component (see r.5D and Part 1 of Schedule 4 of the EP Regulations)

The production or design capacity should be the maximum capacity of the premises. For most categories, the production or design capacity refers to an annual rate. The figure should be based on 24 hour operation for 365 days, unless there is another regulatory approval or technical reason that restricts operation.

The premises component fee applies to the category in Part 1, Schedule 4 incurring the higher or highest amount of fee units in accordance with r 5D(2) of the EP Regulations.

List all categories (insert additional rows as required). Use only the higher or highest amount of fee units to determine the Part 1 fee component.

Category	Production or design capacity	Fee units
÷.	R.	
Using the higher or high	est amount of fee units. Part 1 component subto	otal \$

Part 2 Waste (see r.5D(1a)(b) and Part 2 of Schedule 4 of the EP Regulations)

If your premises includes one or more of the following categories specify any applicable Part 2 waste amounts. Do not include Part 3 waste components of these discharges in the below calculations.

Categories: 5, 6, 7, 8, 9, 12, 14, 44, 46, 53, 54A, 70, 80, or 85B

Part 2 waste means waste consisting of -

- (a) tailings; or
- (b) bitterns; or
- (c) water to allow mining of ore; or
- (d) flyash; or
- (e) waste water from a desalination plant.

If the premises does not fall into one of the categories listed above, or there are no applicable Part 2 waste amounts, the sub total for this section will be \$0.

Insert additional rows as required. Sum all Part 2 waste fees to determine the sub total.

Fee units	
	Fee units

Part 2 component subtotal

\$

Part 3 Waste - Discharges to air, onto land, into waters (see Part 3 of Schedule 4 of the EP Regulations)

Choose the appropriate location of the discharge and enter the discharge amount(s) in the units specified in the EP Regulations. This should be the amount of waste expected to be discharged over the next 12 months, expressed in the units and averaging period applicable for that waste kind (for example, g/minute or kg/day). Amounts can be measured, calculated, or estimated and can be based on data acquired over the previous 12 months, but should be based on the maximum premises capacity and not the forecast operating hours.

Where there are discharges, all prescribed waste types must be considered in the fee calculation. If a specified waste type is not present in the discharge, this must be justified using an appropriate emission estimation technique (for example, sampling data, industry sector guidance notes, National Pollution Inventory guides and emission factors).

Discharges to air	Discharge rate (g/min)	Discharges to air	Discharge rate (g/min)
Carbon monoxide		Nickel	
Oxides of nitrogen		Vanadium	
Sulphur oxides		Zinc	
Particulates (Total PM)		Vinyl chloride	
Volatile organic compounds		Hydrogen sulphide	
Inorganic fluoride		Benzene	
Pesticides		Carbon oxysulphide	
Aluminium		Carbon disulphide	
Arsenic		Acrylates	
Chromium		Beryllium	
Cobalt		Cadmium	
Copper		Mercury	
Lead		TDI (toluene-2, 4-di-iso-cyanate)	
Manganese		MDI (diphenyl-methane di-iso-cyanate)	
Molybdenum		Other waste	
Part 3 component subtotal		\$	
Discharges onto land or into	waters		Discharge rate
Liquid waste that can potent receiving waters of oxygen kilogram discharged per day	for each	(a) biochemical oxygen demand (in the absence of chemical oxygen demand limit)	
		(b) chemical oxygen demand (in the absence of total organic carbon limit)	
		(c) total organic carbon	
2. Bio-stimulants (for each kilo	gram discharged	(a) phosphorus	
per day) —		(b) total nitrogen	
Liquid waste that physically alters the characteristics of naturally occurring		(a) total suspended solids (for each kilogram discharged per day)	
waters —		(b) surfactants (for each kilogram discharged per day)	
		discharged per day)	
		(c) colour alteration (for each platinum cobalt unit of colour above the ambient colour of the waters in each megalitre discharged per day)	
		(c) colour alteration (for each platinum cobalt unit of colour above the ambient colour of the waters in each megalitre	
		(c) colour alteration (for each platinum cobalt unit of colour above the ambient colour of the waters in each megalitre discharged per day) (d) temperature alteration (for each 1°C above the ambient temperature of the waters in each	

Waste that can potentially accumulate	(a) aluminium	
in the environment or living tissue (for each kilogram discharged per day) —	(b) arsenic	
	(c) cadmium	
	(d) chromium	
	(e) cobalt	
	(f) copper	
	(g) lead	
	(h) mercury	
	(i) molybdenum	
	(j) nickel	
	(k) vanadium	
	(I) zinc	
	(m)pesticides	
	(n) fish tainting wastes	
	(o) manganese	
5. E. coli bacteria as indicator species (in	(a) 1,000 to 5,000 organisms per 100 ml	
each megalitre discharged per day) —	(b) 5,000 to 20,000 organisms per 100 ml	
	(c) more than 20,000 organisms per 100 ml	
6. Other waste (per kilogram discharged	(a) oil and grease	
per day) —	(b) total dissolved solids	
	(c) fluoride	
	(d) iron	
	(e) total residual chlorine	
	(f) other	
Part 3 component subtotal		\$
Summary = Proposed licence fee		
Part 1 Component		
Part 2 Component		
Part 3 Component		
Total proposed licence fees:		\$
13.5 Prescribed fee for registration		
A fee of 24 units applies for an application for occupier of the premises holds a licence in reaccordance with r.5B(2)(c) of the EP Regulation	espect of the premises, in	ick to acknowledge)

13.6 Amendment fee (works approval or licence)

The fee prescribed for an application for an amendment to a works approval or licence is calculated in accordance with r.5BB(1)(a) of the EP Regulations:

- for a single category of prescribed premises to which the works approval or licence relates, by using the fee
 unit number corresponding to the prescribed premises category and relevant design capacity threshold in
 Schedule 4 Part 1 of the EP Regulations.
- for multiple categories of prescribed premises to which the works approval or licence relates, by using the
 highest fee unit number corresponding to the prescribed premises categories and design capacity threshold
 in Schedule 4 Part 1 of the EP Regulations.

Fee Units	Proposed fee	Proposed fee	
13.7 Prescribed fee for clearing	ng permit		
Procedure: Native vegetation clearing vegetation is sought as part of an app DWER may elect to either jointly or se of the application. Where DWER sept an application, the application will be permit under s.51E of the EP Act and Note. If a clearing permit application by DWER, a refund for the clearing permit application.	ustry Regulation Guide to Licensing and permits, where approval to clear native olication for a works approval or licence, eparately determine the clearing component arately determines the clearing component of deemed to be an application for a clearing processed accordingly. The provided where grequirements as part of a related works	☐ (Tick to acknowledge)	
13.8 Information and data use	ed to calculate proposed fees	-30	
provided as attachments to this applic	onents, including all information and data used cation, labelled as Attachment 10 , with an appr evant attachment number in the space/s provide	opriate suffix (for example	
Proposed fee for works approval		Attachment No.	
Details for cost of works			
Proposed fee for licence		Attachment No.	
Part 1: Premises			
Part 2: Waste types			
Part 3: Discharges to air, onto land, in	nto waters		

Part 14: Commercially sensitive or confidential information

NOTE:

Information submitted as part of this application will be made publicly available. If you wish to submit commercially sensitive or confidential information, please identify the information in Attachment 11, and include a written statement of reasons why you request each item of information be kept confidential.

Information submitted later in the application process may also be made publicly available at DWER's discretion. For any commercially sensitive or confidential information, please follow the same process as described above.

DWER will take reasonable steps to protect genuinely confidential or commercially sensitive information. However, please note that DWER cannot commit to redacting all personal information from all supporting documents. You are advised to ensure that all personal information, including signatures, are removed from supporting documents prior to submitting them to the department. Please note that all submitted information may be the subject of an application for release under the Freedom of Information Act 1992.

All information which you would propose to be exempt from public disclosure has been	Attached	N/A
separately placed in a redacted version of the application form and its supporting documentation. Note that this is in addition to the unredacted version(s) provided to DWER for its assessment. Grounds for claiming exemption in accordance with Schedule 1 to the Freedom of Information Act 1992 must be specified in Attachment 11 (located at the end of this form).		×

Department of Water and Environmental Regulation

Part 15: Submission of application	
INSTRUCTIONS: Check one of the boxes below to nominate how you will submit your application. Files larger than 50MB cannot be received via email by DWER. Files larger than 50MB can be sent via Files Transfer. Alternatively, email DWER to make other arrangements.	le
A full, signed, electronic copy of the application form including all attachments has been submitted via email to info@dwer.wa.gov.au ; OR	×
A signed, electronic copy of the application form has been submitted via email to info@dwer wa gov au and attachments have been submitted via File Transfer, or electronically by other means as arranged with DWER; OR	
A full, signed hard copy has been sent to: APPLICATION SUBMISSIONS Department of Water and Environmental Regulation Locked Bag 10 Joondalup DC WA 6919	

Part 16: Declaration and signature

General

I / We confirm and acknowledge that:

- the information contained in this application is true and correct;
- I / we have legal authority to sign on behalf of the applicant (where authorisation provided);
- · 1/ we have not altered the requirements and instructions set out in this application form;
- 1/ we have provided a valid email address in Section 2.3 for receipt of correspondence electronically via email from DWER in relation to this application;
- that successful delivery to my / our server constitutes receipt of correspondence sent electronically via email from DWER in relation to this application; and
- I / we have provided a valid postal and/or business address in Section 2.4 for the service of all Part V
 documents.
- giving or causing to be given information that to my knowledge is false or misleading is an offence under s.112 of the EP Act and may incur a penalty of up to \$100,000.

Publication

I / We confirm and acknowledge:

- this application (including all attachments apart from the sections identified in Attachment 11) is a public document and may be published;
- marine surveys provided in accordance with Part 5 will be published and used, for the purposes of the IMSA project, in accordance with your declaration made in the Metadata and Licensing Statement;
- all necessary consents for the publication of information have been obtained from third parties;
- information considered exempt from public disclosure has been noted by redaction of a separately provided
 copy of the completed application form and its supporting documentation (in accordance with Part 14), with
 reasons as to why the information should be exempt in accordance with the grounds specified in Schedule 1 to
 the Freedom of Information Act 1992 (WA) being provided in Attachment 11;
- subsequent information provided in relation to this application will be a public document and may be published
 unless written notice has been given to DWER by the applicant, at the time the information is provided, claiming
 that the information is considered exempt from public disclosure; and
- the decision to not publish information will be at the discretion of the CEO of DWER and will be made consistently with the provisions of the Freedom of Information Act 1992 (WA).

	8/8/2025
	Date
	8/8/2025
	Date
Name	
General Counsel	

NOTE: This form may be signed:

- · if the applicant is an individual, by the individual;
- if the applicant is a corporation, by:
 - the common seal being affixed in accordance with the Corporations Act 2001 (Cth); or
 - > two directors; or
 - a director and a company secretary; or
 - > if a proprietary company has a sole director who is also the sole company secretary, by that director; and
- by a person with legal authority to sign on behalf of the applicant.

ATTACHMENT 11 - Confidential or commercially sensitive information

Request for exemption from publication			
		shed, on the grounds of a relevant exemption found in Schedule 1 to be specified in this Attachment. Add additional rows as required.	
NOT FOR PUBLIC	ATION IF GROUNDS FOR EX	EMPTION ARE DETERMINED TO BE ACCEPTABLE	
Section of this form:	Grounds for claiming exemption:		
Section of this form:	Grounds for claiming exemption:		
Section of this form:	Grounds for claiming exemption:		
Full Name			
Signature	Date	<u>-</u>	