

Amendment Notice 1

Licence Number L9167/2018/1

Licence Holder City of Busselton

File Number: 2011/007003-2

Premises Vidler Road Putrescible Landfill Site

Lot 8 on Diagram 66799

Western Cape Drive

NATURALISTE WA 6281

Date of Amendment 10 April 2019

Amendment

The Chief Executive Officer (CEO) of the Department of Water and Environmental Regulation (DWER) has amended the above Licence in accordance with section 59 of the *Environmental Protection Act 1986* (EP Act), as set out in this Amendment Notice. This Amendment Notice constitutes written notice of the amendment in accordance with section 59B(9) of the EP Act.

Stephen Checker

Manager Waste Industries

an officer delegated under section 20 of the Environmental Protection Act 1986 (WA).

Amendment Notice

This amendment is made pursuant to section 59 of the *Environmental Protection Act 1986* (EP Act) to amend the Licence issued under the EP Act for a prescribed premises as set out below. This notice of amendment is given under section 59B(9) of the EP Act.

This notice is limited only to an amendment for Category 64. No changes to the aspects of the original licence relating to Categories 61 and 62 have been requested by the Licence Holder.

The following guidance statements have informed the decision made on this amendment:

- Guidance Statement: Regulatory Principles (July 2015)
- Guidance Statement: Setting Conditions (October 2015)
- Guidance Statement: Land Use Planning (February 2017)
- Guidance Statement: Licence Duration (August 2016)
- Guidance Statement: Decision Making (February 2017)
- Guidance Statement: Risk Assessment (February 2017)
- Guidance Statement: Environmental Siting (November 2016)

Amendment description

The City of Busselton (Licensee) lodged an application on 2 February 2019 to alter the location of the asbestos disposal pit at the Vidler Road Putrescible Landfill Site.

The current asbestos disposal pit, cross hatched purple on the map, is nearing capacity. The new asbestos disposal pit, cross hatched orange on the map, is located within the existing void of the unlined landfill area. The existing landfill area is nearing its capacity, where the remaining void will be utilised for asbestos disposal only. Putrescible waste disposal will commence in Cell 1.

The proposal does not increase the current Premises design or capacity, and does not modify the types of waste to be disposed of at the Premises.

Amendment history

Table 1 provides the amendment history for L9167/2018/1 and L7122/1997/12

Table 1: Licence amendments

Instrument	Issued	Amendment	
L7122/1997/3	20/06/2000	Licence Reissue	
L7122/1997/4	05/06/2011	Licence Reissue	
L7122/1997/5	04/06/2002	Licence Reissue	
L7122/1997/6	09/06/2003	Licence Reissue	
L7122/1997/7	08/06/2004	Licence Reissue	
L7122/1997/8	20/06/2005	Licence Reissue	
L7122/1997/9	08/06/2008	Licence Reissue	
L7122/1997/10	08/06/2011	Licence Reissue	
L7122/1997/11	08/06/2012	Licence Reissue	
W5337/2012/1	25/02/2013	Works Approval- construction of new liquid waste ponds	
L7122/1997/12	30/05/2013	Licence Reissue	
L7122/1997/12	07/10/2013	Licence Amendment	
W5621/2014/1	30/04/2015	Works Approval – construction of new Cell1 and leachate pond.	
L7122/1997/12	25/02/2016	Licence Amendment to increase the Category 61 production and design capacity	
L7122/1997/12	29/04/2016	Amendment Notice 1 to extend expiry date to 7 June 2030	
L7122/1997/12	15/12/2016	Licence amendment – proponent initiated- for the addition of Cell 2 works and capping plan requirements. Category 62 added to authorise the existing solid waste facility.	
L7122/1997/12	01/08/2017	Amendment Notice 2 to include a descriptor for hazardous waste and increase the acceptance limit for clean fill.	
L7122/1997/12	02/05/2018	Amendment Notice 3 to extend the timeframe to accept waste into the unlined landfill cell.	
L7122/1997/12	June 2018	This licence ceased to have effect	
L9167/2018/1	02/11/2018	Replacement licence granted	
L9167/2018/1	10/04/2019	Amendment Notice 1 to alter the location of the asbestos burial pit.	

Decision

The Delegated Officer notes the modification of the location for the disposal of asbestos is not expected to impact on the risk profile of the premises, as the volume of waste proposed to be disposed of at the Premises will not increase and the type of waste will not alter from that already approved of for disposal at the Premises.

Licence Holder's comments

The Licence Holder was provided with the draft Amendment Notice on 1 April 2019. The Licence Holder advised they have no comments and waive the remaining consultation period.

Amendment

1. The Licence is amended by the deletion of the Map of groundwater monitoring points and insertion of the below Map of groundwater monitoring points.



Appendix 1: Key documents

	Document title	In text ref	Availability
1	Licence L9167/2018/1 Vidler Road Putrescible Landfill Site	L9167/2018/1	accessed at www.dwer.wa.gov.au
2	DER, July 2015. <i>Guidance Statement:</i> Regulatory Principles. Department of Environment Regulation, Perth.	DER 2015a	accessed at www.dwer.wa.gov.au
3	DER, October 2015. Guidance Statement: Setting Conditions. Department of Environment Regulation, Perth.	DER 2015b	
4	DER, August 2016. Guidance Statement: Licence Duration. Department of Environment Regulation, Perth.	DER 2016a	
5	DER, November 2016. Guidance Statement: Risk Assessments. Department of Environment Regulation, Perth.	DER 2016b	
6	DER, November 2016. Guidance Statement: Decision Making. Department of Environment Regulation, Perth.	DER 2016c	