

Government of Western Australia Department of Water and Environmental Regulation

Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V

Once completed, please submit this form either via email to <u>info-der@dwer.wa.gov.au</u>, or to the below postal address:

Department of Water and Environmental Regulation Locked Bag 33 Cloisters Square PERTH WA 6850

Licence number:	L4605/1987/11	Licence file number:	2011/009036
Licence holder:	Koppers Wood Pro	oducts Pty Ltd	
Trading as:	Koppers Wood Products Pty Ltd		
ACN:	003 947 680		
Registered address:	Level 5, 53 Walke	er St, North Sydney NS	W 2060
Reporting period:	01/01/2019 t	o 31/12/2019	

Section B - Statement of Compliance with Licence Conditions

Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)

□ Yes – please complete:

- section C;
- section D if required; and
- sign the declaration in Section F.

⊠ No – please complete:

- section C;
- section D if required;
- section E; and
- sign the declaration at Section F.

Section C – Statement of Actual Production

Provide the actual production quantity for this reporting period. Supporting documentation is to be attached.

Prescribed Premises Category	Actual Production Quantity	
29	31,723 m3	



Government of Western Australia Department of Water and Environmental Regulation

Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V

Once completed, please submit this form either via email to <u>info-der@dwer.wa.gov.au</u>, or to the below postal address:

Department of Water and Environmental Regulation Locked Bag 33 Cloisters Square PERTH WA 6850

Licence number:	L4605/1987/11	Licence file number:	2011/009036
Licence holder:	Koppers Wood Produ	ucts Pty Ltd	
Trading as:	Koppers Wood Products Pty Ltd		
ACN:	003 947 680		
Registered address:	Level 5, 53 Walker	St, North Sydney NS	W 2060
Reporting period:	01/01/2019 to	31 / 12 / 2019	

Section B - Statement of Compliance with Licence Conditions

Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)

□ Yes – please complete:

- section C;
- section D if required; and
- sign the declaration in Section F.

⊠ No – please complete:

- section C;
- section D if required;
- section E; and
- sign the declaration at Section F.

Section C – Statement of Actual Production

Provide the actual production quantity for this reporting period. Supporting documentation is to be attached.

Prescribed Premises Category	Actual Production Quantity	
29	31,723 m3	

Provide the actual Part 2 waste discharge quantity for this reporting period. Supporting documentation is to be attached. Prescribed Premises Category Actual Part 2 Waste Discharge Quantity Not applicable. Section E – Details of Non-Compliance with Licence Condition Please use a separate page for each condition with which the licence holder was non-compliant at a time during the reporting period. Condition no: 24 Date(s) of non-compliance: 1/8/2019

Section D – Statement of Actual Part 2 Waste Discharge Quantity

Bore Water Sampling Results – SP5 arsenic level was 0.061 mg/l on the 1/8/2019 sampling event, which is above the discharge limit of 0.05 mg/l. Re-testing was conducted immediately following non-compliant result. Re-test result showed reduced levels of Arsenic of 0.053 mg/l, which is 0.003 over the compliance benchmark. At the same time, conducting re-test, surface water samples were taken on the fence line opposite Sump 5 – see results Attachment A. No exceedance detected beyond boundary limits.

What was the actual (or suspected) environmental impact of the non-compliance?

NOTE – please attach maps or diagrams to provide insight into the precise location of where the noncompliance took place.

No environmental impact – see results in Attachment A. We consider no further action necessary.

Cause (or suspected cause) of non-compliance:

Unexpected heavy rainfall event

Action taken to mitigate any adverse effects of non-compliance and prevent recurrence of the non-compliance:

Cleaned out of SP5 and will treat SW 3 & 5 with virobond or equivalent product.

Department of Water and Environmental Regulation

Was this non-compliance previously report	ed to DWER?
Yes, and	
Reported to DWER verbally	Date: / /
Reported to DWER in writing	Date: / /

Section F – Declaration

I / We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular¹.

I / We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.

Signature ² :		Signature:	-
Name: (printed)	LEE SHAW	Name: (printed)	RICHARD LYONS
Position:	BUSINESS MANAGER	Position:	VICE PRESIDENT AUSTRALIAN OPERATIONS
Date:	30/01/2020	Date:	30/01/2020
Seal (if signing under seal):			

¹ It is an offence under section 112 of the *Environmental Protection Act 1986* for a person to give information on this form that to their knowledge is false or misleading in a material particular.

² AACRs can only be signed by the licence holder or an authorised person with the legal authority to sign on behalf of the licence holder.