

Government of Western Australia Department of Water and Environmental Regulation

Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V

Once completed, please submit this form either via email to <u>info-der@dwer.wa.gov.au</u>, or to the below postal address:

Department of Water and Environmental Regulation Locked Bag 33 Cloisters Square PERTH WA 6850

Section A – Licence Details				
Licence number:	L6637/1995/15	Licence file number:	DER2015/000109	
Licence holder:	Electricity Generation and Retail Corporation			
Trading as:	Synergy			
ACN:	ABN 58673830106			
Registered address:	Collie Power Station, Part of Lot 3001 on Plan 51101			
Reporting period:	01/07/2019 to 30/06/2020			

Section B – Statement of Compliance with Licence Conditions

Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)

□ Yes – please complete:

- section C;
- section D if required; and
- sign the declaration in Section F.

⊠ No – please complete:

- section C;
- section D if required;
- section E; and
- sign the declaration at Section F.

Section C – Statement of Actual Production

Provide the actual production quantity for this reporting period. Supporting documentation is to be attached.

Prescribed Premises Category	Actual Production Quantity	
12 – Screening, etc. of material	0.467 million tonnes consumed	
52 – Electric power generation	340 MWe	

Section D – Statement of Actual Part 2 Waste Discharge Quantity

Provide the actual Part 2 waste discharge quantity for this reporting period. Supporting documentation is to be attached.

Prescribed Premises Category	Actual Part 2 Waste Discharge Quantity
53 – Flyash disposal	39,788 tonnes

Department of Water and Environmental Regulation

61 – Liquid waste facility		661,782 kilolitres	661,782 kilolitres	
Section E – Det	tails of Non-Complia	nce with Licence Cond	ition	
	arate page for each con ne reporting period.	dition with which the licenc	e holder was non-complian	
Condition no:	3.2.1	Date(s) of non- compliance:	30 June 2020	
Details of non-con	npliance:			
was offline for a h activities were und stack testing unde	alf-life outage from Maro dertaken until early July er normal operating cond	ch 2020 until late June 202	as not possible to undertake 0 – June 2020 quarter.	
	ch maps or diagrams to p	rovide insight into the precise		
		er station being offline for th	nree months.	
No environmental Cause (or suspect A half-life outage f opportunity to und	impact due to the powe ted cause) of non-comp for three months and as	liance: sociated commissioning ad	ctivities meant there was no	
No environmental Cause (or suspect A half-life outage f opportunity to und 2020 quarter.	impact due to the powe ted cause) of non-comp for three months and as ertake stack testing unc	liance: sociated commissioning ad ler normal operating condit	ctivities meant there was no tions in the April 2020 - Jun	
No environmental Cause (or suspect A half-life outage f opportunity to und 2020 quarter. Action taken to min non-compliance:	impact due to the powe ted cause) of non-comp for three months and as ertake stack testing und	liance: sociated commissioning ad ler normal operating condit	ctivities meant there was no tions in the April 2020 - Jun	
No environmental Cause (or suspect A half-life outage f opportunity to und 2020 quarter. Action taken to min non-compliance:	impact due to the powe ted cause) of non-comp for three months and as ertake stack testing und	liance: sociated commissioning ad ler normal operating condit	ctivities meant there was no tions in the April 2020 - Jun	
No environmental Cause (or suspect A half-life outage f opportunity to und 2020 quarter. Action taken to min non-compliance: Notify DWER of po	impact due to the powe ted cause) of non-comp for three months and as ertake stack testing und	liance: sociated commissioning ad ler normal operating condit	ctivities meant there was no tions in the April 2020 - Jun	
No environmental Cause (or suspect A half-life outage f opportunity to und 2020 quarter. Action taken to min non-compliance: Notify DWER of po	impact due to the powe ted cause) of non-comp for three months and as ertake stack testing und tigate any adverse effect otential non-compliance	liance: sociated commissioning ad ler normal operating condit	ctivities meant there was no tions in the April 2020 - Jun	
No environmental Cause (or suspect A half-life outage f opportunity to und 2020 quarter. Action taken to min non-compliance: Notify DWER of po Was this non-com	impact due to the powe ted cause) of non-comp for three months and as ertake stack testing und tigate any adverse effect otential non-compliance	liance: sociated commissioning ad ler normal operating condit	ctivities meant there was no tions in the April 2020 - Jun	

Section F - Declaration

I / We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular¹.

I / We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.

Signature ² :		Signature:
Name: (printed		Name: (printed)
Position:		Position:
Date:	24/9/2020	Date:
Seal (if signing under seal):		

¹ It is an offence under section 112 of the *Environmental Protection Act 1986* for a person to give information on this form that to their knowledge is false or misleading in a material particular.

² AACRs can only be signed by the licence holder or an authorised person with the legal authority to sign on behalf of the licence holder.