Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V

Section A – Licence Details				
Licence number:	L7737/2001/6	Licence file number:	SWB1885-02	
Licence holder:	Bridgetown Golf Club Inc			
Trading as:	Bridgetown Golf Club			
ACN:	78 862 576 778			
Registered address:	Bill Baldock Drive			
Reporting period:	01/07/2022 to 30/06/2023			

Section B - Statement of Compliance with Licence Conditions

Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)

☐Yes – please complete:

- section C;
- · section D if required; and
- · sign the declaration in Section F.

⊠No – please complete:

- · section C;
- · section D if required;
- section E; and
- sign the declaration at Section F.

Section C – Statement of Actual Production Provide the actual production quantity for this reporting period. Supporting documentation is to be attached. Prescribed Premises Category Actual Production Quantity 54 153 m³/day

Section D - Statement of Actual Pa	art 2 Waste Discharge Quantity
Provide the actual Part 2 waste discharg documentation is to be attached.	e quantity for this reporting period. Supporting
Prescribed Premises Category	Actual Part 2 Waste Discharge Quantity
Not applicable	

Section E - Deta	ails of Non-Compl	iance with Licence Cond	ition
Please use a sepa at a time during the		ondition with which the licence	e holder was non-compliant
Condition no:	L7737	Date(s) of non- compliance:	01/07/2022 - 30/06/2023
Details of non-com	pliance:		
2022-2023 reporting	ng period with an ann	esign capacity of 137 m³/day valual average daily inflow (rece Treatment Plant) of 153 m³/d.	eived from Water
What was the actu	al (or suspected) en	vironmental impact of the non	-compliance?
NOTE – please attac	th maps or diagrams to be.	provide insight into the precise	location of where the non-
This non-complian	ice is not suspected	to have an environmental imp	pact given the following:
parameters The long di	for 2022-2023 report stance to the neares		
Cause (or suspecte	ed cause) of non-con	npliance:	
production / design reinstatement prog	capacity. Bridgetov ram, which included rf following the deva	getown Wastewater Treatmen wn Golf Club have undergone the replacement of valves, co stating bushfires in February	e a complete irrigation ontroller units and the re-
Action taken to miti	gate any adverse ef	fects of non-compliance and p	prevent recurrence of the
Bridgetown Golf Club including implementing	ng regular cross-sharin	th Water Corporation staff to closing of water balance information. timize water usage and abstracti	Changes were implemented to
Was this non-comp	liance previously rep	ported to DWER? No.	
Yes, and			
☐ Reported to	DWER verbally	Date: / /	
Reported to	DWER in writing	Date: / /	

Section F - Declaration

I/We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular¹. I/We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.

Signature ² :	Signature:
Name: (printed)	Name: (printed)
Position:	Position:
Date:	Date:
Seal (if signing under seal):	
It is an offence under se o their knowledge is false	Act 1986 for a person to
AACRs can only be signed by the	nce noider or an authorised person with the legal authors

AACRs can only be signed by the licence noider or an authorised person with the legal autilicence holder.