

Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V Division 3

Section A - Licence details

Once completed, please submit this form either via email to info@dwer.wa.gov.au, or to the below postal address:

Department of Water and Environmental Regulation Locked Bag 10 Joondalup DC WA 6919

COCHOIT A LICCHICO	dotalio			
Licence number:	L8807/2013/2	Licence file number:	ILS2013/000004-1	
Licence holder name:	Rottnest Island Authority			
Trading as:				
ACN:				
Registered business address:				
Reporting period:	01/07/2022 to 30/06/	2023		
Section B – Statement of compliance with licence conditions				
Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)				
 ☐ Yes – please complete: section C; section D (if required); and sign the declaration in Section F. 				
 No – please complete: section C; section D (if required); section E; and sign the declaration in Section F. 				

Provide the actual production quantity for this reporting period. Supporting documentation is to be attached. Prescribed premises category Actual production quantity Effluent Inflow: 87,313 m3 Recycled Water Produced: 83,798 m3 (3,515m3 re-used at WWTP) Bio-Solid Output: 336 m3

Section D – Statement of actual Part 2 waste discharge quantity					
Provide the actual Part 2 waste discharge quantity for this reporting period. Supporting documentation is to be attached.					
Prescribed premises category		Actual Part 2 waste discharge quantity			
Not Applicable		Not Applicable			
Section E – Deta	ils of non-compliance wi	th licence conditio	n		
Please use a separate page for each condition with which the licence holder was non-compliant at a time during the reporting period.					
Condition no:	8	Date(s) of non- compliance:	Various across the 2022- 2023 period		
Details of non-compliance:					
Recycled water was used to irrigate the Oval and Golf course when the baseline soil moisture content was met or exceeded at all monitoring locations at different times during the irrigation months (September – May). However, it is noted that some of these exceedances represent rainfall events such as several occasions in September, October and November 2022 and several occasions in April and May 2023.					
What was the actua	al (or suspected) environment	tal impact of the non-c	ompliance?		
NOTE – please attach maps or diagrams to provide insight into the precise location of where the non-compliance took place.					
Minimal environmental impact. No visible detrimental impacts to the oval or golf course and no observable physico-chemical impacts to the groundwater or surface water data across the reporting period.					
Cause (or suspected cause) of non-compliance:					
Lack of attention to the soil moisture data and not ceasing irrigation when the soil moisture baseline content was reached.					
Action taken to mitigate any adverse effects of non-compliance and prevent recurrence of the non-compliance:					
Increased attention to moisture probe data and more timely response to cease irrigation.					
Was this non-compliance previously reported to DWER?					
☐ Yes, and					
Reported to	DWER verbally	Date: / /			
Reported to DWER in writing					

Section F - Declaration

I / We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular¹.

I / We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.

Signature ² :		Signature:	
Name: (printed)		Name: (printed)	
Position:		Position:	
Date:	27/09/2023	Date:	
Seal (if signing under seal):			

¹ It is an offence under section 112 of the *Environmental Protection Act 1986* for a person to give information on this form that to their knowledge is false or misleading in a material particular.

² AACRs can only be signed by the licence holder or an authorised person with the legal authority to sign on behalf of the licence holder.