

Government of Western Australia Department of Water and Environmental Regulation

Annual Audit Compliance Report Form

Environmental Protection Act 1986, Part V

Once completed, please submit this form either via email to info-der@dwer.wa.gov.au, or to the below postal address:

Department of Water and Environmental Regulation Locked Bag 33 Cloisters Square PERTH WA 6850

Section A – Licence Details				
Licence number:	L9222/2019/1	Licence file number:	DER2019/000566	
Licence holder:	Water Corporation			
Trading as:	Water Corporation Christmas Island Wastewater Treatment Plant			
ACN:	28 033 434 917			
Registered address:	629 Newcastle Street, LEEDERVILLE, WA 6007			
Reporting period:	24/ 01 / 2020 to	30 / 06 / 2020		

Section B - Statement of Compliance with Licence Conditions

Did you comply with all of your licence conditions during the reporting period? (please tick the appropriate box)

- ☐ Yes please complete:
 - section C;
 - · section D if required; and
 - sign the declaration in Section F.

No − please complete:

- · section C;
- section D if required;
- section E; and
- · sign the declaration at Section F.

Section C - Statement of Actual Production

Provide the actual production quantity for this reporting period. Supporting documentation is to be attached.

Prescribed Premises Category	Actual Production Quantity	
54	360 m³/day or 131,973 m³/year	

Section D - Statement of Actual Part 2 Waste Discharge Quantity

Provide the actual Part 2 waste discharge quantity for this reporting period. Supporting documentation is to be attached.

Prescribed Premises Category	Actual Part 2 Waste Discharge Quantity	

Section E – Details of Non-Compliance with Licence Condition				
Please use a separate page for each condition with which the licence holder was non-compliant at a time during the reporting period.				
Condition no:	5 Table 3	Date(s) of non- compliance:	28 May -30 June 2020	
Details of non-com	oliance:			
Condition 5 Table 3 Sewage Sludge Storage and Processing; requires no more than 150m3 of dewatered sludge to be stored at any one time, for no more than 72 hours.				
During June, approximates research project	mately 1m3 of sludge has been	stored in the drying bed	to be used for sampling for a	
What was the actua	al (or suspected) environmen	tal impact of the non-c	ompliance?	
NOTE – please attac compliance took plac	h maps or diagrams to provide i e.	nsight into the precise lo	cation of where the non-	
Nil, sludge stored in purpose build drying bed. No odours or issues are expected from the stored sludge and any remaining product will be taken to landfill at the conclusion of the trial				
Cause (or suspecte	ed cause) of non-compliance:			
The licence was issued in January 2020 with the 72 hour limit on storage of sludge added as a new condition to the licence; however it is not practical when using sludge drying beds for dewatering/storage				
Action taken to mitigate any adverse effects of non-compliance and prevent recurrence of the non-compliance:				
No odours or issues reported from the storage sludge. The trial is a short term arrangement, however an amendment or removal of this licence condition with DWER will be discussed				
Was this non-compliance previously reported to DWER?				
⊠ Yes, and				
☐ Reported to	DWER verbally	Date: / /		
N Demonted to	DWER in writing	Date: 27 / 07 /	20	

Department of Water and Environmental Regulation

Section F - Declaration

I / We declare that the information in this Annual Audit Compliance Report is true and correct and is not false or misleading in a material particular¹.

I / We consent to the Annual Audit Compliance Report being published on the Department of Water and Environmental Regulation's (DWER) website.

Signature ² :		Signature:
Name: (printed)		Name: (printed)
Position:	Manager Operations	Position:
Date:	24/08/2020	Date:
Seal (if signing under seal):		

¹ It is an offence under section 112 of the *Environmental Protection Act 1986* for a person to give information on this form that

to their knowledge is false or misleading in a material particular.

AACRs can only be signed by the licence holder or an authorised person with the legal authority to sign on behalf of the licence holder.