

PRELIMINARY ENVIRONMENTAL IMPACT ASSESSMENT AND ENVIRONMENTAL MANAGEMENT PLAN (MINOR PROJECTS)

MATERIAL PIT EXTENSIONS NORTH WEST COASTAL HIGHWAY 145.6 SLK – Alternate site

Prepared by Crystelle Evangelista (Environment Officer)
Gascoyne Region
September 2008

Printed copies are uncontrolled unless marked otherwise

CONTENTS

1	IN	ITRODUCTION	3
2	DI	ESCRIPTION OF THE PROJECT	. 3
	2.1	PROJECT LOCATION	3
3	M	ETHODOLOGY	. 6
	3.1	PRELIMINARY DESKTOP STUDY	. 6
4	C	OMMONWEALTH REFERRAL	. 7
	4.1	SITE INVESTIGATION	. 7
5	E	XISTING ENVIRONMENT	. 7
	5.1 5.2	DESCRIPTION	
6	CI	LEARING OF NATIVE VEGETATION	. 9
	6.1 6.2	ASSESSMENT AGAINST CLEARING PRINCIPLES	
7	A\$	SSESSMENT OF ASPECTS AND IMPACTS	10
8	DI	ECISION TO REFER	11
9	S	TAKEHOLDER CONSULTATION	11
1	0	ENVIRONMENTAL MANAGEMENT PLAN	12
	10.1	COMMUNICATION PLAN	12
1	1	MONITORING	13
1	2	CONTINGENCY MEASURES	13
1	3	AUDITING	13
1	4	REFERENCES	13
A	PPE	NDIX A LOW IMPACT ENVIRONMENTAL SCREENING CHECKLIST	20
A	PPE	NDIX B MAIN ROADS WA – REVEGETATION PLAN FOR PASTORAL AREAS	22
A	PPE	NDIX C DEC'S THREATENED FLORA AND FAUNA DATABASE SEARCHES	25
٧	VEST	NDIX D AUSTRALIAN HERITAGE PLACES INVENTORY, HERITAGE COUNCIL OF ERN AUSTRALIA AND THE MUNICIPAL HERITAGE INVENTORY DATABASE CHES	20
		NDIX E DEPARTMENT OF INDIGENOUS AFFAIRS DATABASE SEARCH	
		NDIX F WAPC'S ACID SULFATE SOILS MAPPING	
		NDIX G DEPARTMENT OF THE ENVIRONMENT AND HERITAGE DATABASE	J 0
		CH	40
A	PPE	NDIX H SITE PHOTOS	44
Δ	PPFI	NDIX I VEGETATION CLEARING ASSESSMENT REPORT	47

PRELIMINARY ENVIRONMENTAL IMPACT ASSESSMENT AND ENVIRONMENTAL MANAGEMENT PLAN (MINOR PROJECTS)

GRAVEL PIT EXTENSION 145.6 SLK

1 INTRODUCTION

Main Roads Gascoyne and BGC over a number of years have slowly been exhausting gravel stockpiles within the Region. The extension of numerous pits is required to supply gravel for the maintenance of the Main Roads network and also for the supply of material in emergency situations (e.g. cyclone damage).

Proposed pit extension at 145.6SLK is located within the Shire of Shark Bay.

As per Main Roads' Environmental Assessment and Approval process, the Low Impact Environmental Screening Checklist has been completed for the proposal, refer to Appendix A. As the proposed works involves the clearing of native vegetation, the preparation of a project specific Preliminary Environmental Impact Assessment (PEIA) and Environmental Management Plan (EMP) are required. This report fulfils this requirement.

2 DESCRIPTION OF THE PROJECT

Gravel Pit 145.4 SLK is located approximately 300 m off North West Coastal Highway on the right hand side. The proposed extension is to the northwest of the existing pit boundary (See Figure 2). The dimensions of the pit are approximately 170m long by 100m wide. The access tracks into the pit are in good condition and will easily allow the movement of machinery in and out of the project area.

2.1 Project Location

The location and boundaries of the study area are shown in Figures 1-2.




Figure 1: Location of Proposed Pit Extensions on North West Coastal Highway SLK 145.6




Figure 2: Proposed Pit Extension on North West Coastal Highway SLK 145.6

Main Roads Western Australia Page 5 of 50

3 METHODOLOGY

3.1 Preliminary Desktop Study

A preliminary assessment of the project area and its potential constraints was undertaken by reviewing a number of government agency managed databases (and consulting where necessary).

3.1.1 Wetlands

The locations of wetlands within the project area was determined using the Commonwealth Department of the Environmental and Heritage (DEH) mapping tool and Department of Environment and Conservation (DEC) Geographic Data Atlas mapping tool (http://apostle.environment.wa.gov.au/idelve/doedataext/index.jsp).

3.1.2 Threatened Flora, Fauna and Communities, Conservation Reserves and ESAs DEC's database was searched for known populations of threatened flora, fauna and Threatened Ecological Communities (TECs) and conservation reserves, refer to Appendix C.

3.1.3 Air Quality

The need for a local air quality assessment was determined using the criteria outlined in the MRWA environmental guideline, Air Quality.

3.1.4 Heritage

Non-indigenous heritage was examined utilising the Australian Heritage Places Inventory (http://www.heritage.gov.au), Heritage Council of Western Australia (http://register.heritage.wa.gov.au/) and the Shire's of Carnarvon and Ashburton Municipal Heritage Inventory, refer to Appendix D.

3.1.5 Aboriginal Heritage

A Search of the Department of Indigenous Affairs' (DIA's)

(<u>http://www.dia.wa.gov.au/Heritage/SitesSurveysSearch.aspx</u>) database was undertaken to determine whether the project area contains any sites of Aboriginal heritage, refer to Appendix E.

3.1.6 Sensitive Water Resources

The Commonwealth Department of the Environmental and Heritage (DEH) mapping tool and Department of Environment and Conservation (DEC) Geographic Data Atlas mapping tool was used to determine whether the project area supported, or was adjacent to, any significant lakes, rivers or wetlands or proclaimed areas.

3.1.7 Contaminated Sites

The reserve has been in Main Roads continual control; therefore no further work will be necessary/required.

3.1.8 Acid Sulfate Soils

The Western Australian Planning Commission's (WAPC'c) acid sulfate soils maps were reviewed and the self assessment done

(<u>http://www.wapc.wa.gov.au/Publications/213.aspx</u>) to determine what level of risk the project area is exposed to, refer to Appendix F.

3.1.9 Weeds

An onsite investigation of the project areas was undertaken to determine whether there are any known populations of declared plants or significant weeds in or adjacent to the project area.

3.1.10 Dieback

Project receives <400 mm of rain so determined not to be an issue.

4 COMMONWEALTH REFERRAL

The decision whether to refer the project to the Commonwealth's DEH was based upon whether the project would impact upon matters of national significance, e.g. World Heritage properties, protected wetlands and migratory species, Commonwealth marine areas, threatened species or communities or nuclear actions (refer to the Commonwealth webpage www.deh.gov.au/epbc/assessmentsapprovals/index.html for further information and the search tool page at http://www.deh.gov.au/erin/ert/epbc/imap/map.html), refer to Appendix G.

4.1 Site Investigation

A site visit was carried out by Robbie Mallard (BGC Contractor) and Crystelle Evangelista (Environment Officer) on 11/09/08 to examine the general features of the area. The broad vegetation types in the vicinity of the project area were identified. Other issues that were considered included topography, the impacts on creek lines, property access and the potential for noise and vibration impacts (dilapidation).

Site photos were taken and are included in Appendix H.

5 EXISTING ENVIRONMENT

5.1 Description

Pit 145.6 SLK

This material pit occurs within vegetation association No. 365 which is described as Shrublands; bowgada & jam scrub with scattered York gum & red mallee. According to Native Vegetation Association Data (DEC & DAF) this vegetation association is well represented in the region with 93% remaining. The condition of the vegetation is best described as degraded due to the grazing of cattle and previous material extraction.

The following lists of species were observed at the proposed material pits:

Pit Extension SLK 145.6

Acacia acuminata
Acacia coolgardiensis
Acacia neurophylla var. erugata
Acacia ramulosa var. linophylla
Acacia tetragonophylla
?Allocasuarina acutivalvis
Dampiera incana var. fuscescens
Ecdeiocolea monostachya
Hibbertia glomerosa var. glomerosa
Keraudrenia hermanniifolia
Senna glutinosa subsp. glutinosa
Ptilotus obovatus
Ptilotus polystachyus

5.2 Site Investigation

Site Investigation	Description/Comment
Total area (ha) of native vegetation to be	1.7 (ha)
cleared	
Total area (ha) of other vegetation,	0
including regrowth, landscape areas, to	
be cleared	
Weeds present	Cenchrus ciliaris (Buffel Grass)
Drainage areas or wetlands present	None
Adjacent land uses	Pastoral

6 CLEARING OF NATIVE VEGETATION

Native vegetation describes all indigenous aquatic and terrestrial vegetation (living or dead). The term does not include vegetation that was intentionally sown, planted or propagated unless it was required under a statutory condition.

Apart from activities that are exempt under the clearing regulations, such as clearing vegetation that is less than 10 years old for maintenance, typically all Main Roads clearing will be undertaken using its Statewide Project Purpose Permit.

6.1 Assessment against Clearing Principles

In assessing whether the project is likely to have a significant impact on the environment, the project has been assessed against the DEC's 10 principles of clearing, refer to Appendix I.

The project will not be at variance with the DEC's 10 clearing principles.

6.2 Environmentally Sensitive Area (ESA)

Clearing within an Environmentally Sensitive Area (ESA)	Yes/ No	Comments
Does the area to be cleared occur within an ESA where the vegetation is in good or better condition?	No	

7 ASSESSMENT OF ASPECTS AND IMPACTS

Table 1: Aspects and Impacts – Material Pit Extensions – 145.6, 262.7 & 345.4 SLK -NWCH

Aspect	Evaluation of Potential Impacts
Air quality	Not relevant to the proposed works. Local air quality assessment is not required for the
	project area since:
	 the predicted traffic flow is less than 15,000 vehicles per day in rural areas; and residential and other sensitive receptors are not within 200 meters of the road centre
Dust	 residential and other sensitive receptors are not within 200 meters of the road centre Likely to be a minor issue during earthworks. No sensitive receptors near the work sites.
Dust	Likely to be a million issue during earthworks. No sensitive receptors hear the work sites.
Fauna	DEC website search resulted in the Malleefowl, Shield-backed Trapdoor Spider, Major Mitchell's Cockatoo, Western Spiny-tailed Skink and Lined Skink as possibly occurring within the project areas. Given the small area of clearing and the mobile nature of the species found within the area, no impacts are expected
	The EPBC Act Protected Matters Report resulted in the Western Spiny-tailed Skink is likely to occur with the area. Given the type of vegetation that exists and the mobile nature of the species, works will not impact upon this species.
Vegetation –	1 ha of native vegetation will be cleared at 145.6 SLK Pit
clearing	The projects will involve temporary clearing and so will require revegetation plans
	The condition of the native vegetation to be cleared is degraded to fair
	The native vegetation to be cleared is well represented regionally The native vegetation to be cleared in well represented regionally. The native vegetation to be cleared in well represented regionally.
	 The native vegetation to be cleared does not occur within an ESA The native vegetation to be cleared will be done so using the purpose permit
	The halive vegetation to be cleared will be done so using the purpose permit
Vegetation – TEC/DRF	Consultation with DEC confirms that there are TEC within the project area and the proposal will not have a significant impact upon this environmental aspect. A DEC database search indicated that priority flora are located within the vicinity of pit extension 145.6 SLK.
	The pit extension area is highly disturbed due to previous material excavation during the 1970s. The vegetation condition of this area is highly degraded due to prior gravel stockpiling, resulting in sparsely distributed regrowth. No priority flora species were observed within the material areas during the flora survey.
	No Matters of National Environmental Significance as protected under EPBC Act (1999) will be impacted.
Vegetation – weeds	The only weed species observed throughout the project areas was <i>Cenchrus ciliaris</i> (Buffel Grass) which is now widespread throughout the northern regions.
Vegetation – dieback	Not an issue given the project area receives less than 400 mm of average annual rainfall and is above the 26° parallel.
Reserves / Conservation areas	There are no conservation areas or reserves adjacent to the project area.
Heritage (non- indigenous)	A search of the Australian Heritage Places Inventory, Heritage Council of Western Australia and the Shire of Carnarvon's Municipal Heritage Inventory on-line databases has indicated that there are no heritage significance listed sites present in the currently proposed works areas.
Aboriginal heritage	A search of DIA database identified no known sites of Aboriginal heritage significance within the vicinity of the project areas at SLK 145.6. One site, Carlaweelban Hill (Site ID 7341) is located within 500 m of the project site at SLK 345.4. The project is already degraded and will not impact on this site.
Surface water/drainage	On-site visit confirmed that the proposed works will not disturb or interrupt any natural drainage and surface run-off patterns.
Wetlands	There are no wetlands within the vicinity of the project areas.
Groundwater	No dewatering nor drainage modifications are required, hence no change to groundwater level or quality.

Table 1: Aspects and Impacts - Material Pit Extensions - 145.6, 262.7 & 345.4 SLK -NWCH

Aspect	Evaluation of Potential Impacts				
Noise and vibration	There are no sensitive local receivers near the project areas.				
Visual amenity	The proposed works will result in minor and short-term visual impacts during construction. Suitable site completion treatments, including rehabilitation, will result in an improvement in local visual amenity.				
Public safety and risk Provided traffic management and signage to Main Roads standards is employed, no the proposed works present any significant hazards to public safety.					
Hazardous substances	Not relevant to the proposed works.				
Contamination	Given the relatively superficial nature of the required earthworks, there appears to be no risk of any significant contamination issues.				
Salinity	Given the nature and scale of the project the impact is not relevant.				
Acid Sulfate Soils	The WAPC's self-assessment (Planning Bulletin 64) indicates that no further soil investigation is required for the project.				
Statutory Land Use Planning	As the proposed works are entirely within the existing road reserve, no further amendments would be required to the Local Government Planning Scheme or Region Scheme.				

8 DECISION TO REFER

Given the scale of the project, the low significance of its impacts to the surrounding environment and the environmental management measures proposed, the project does not require referral to the WA Environmental Protection Authority or the Commonwealth Department of the Environment and Heritage.

9 STAKEHOLDER CONSULTATION

Name	Agency	Date	Comments
Bridgette Long (Flora)	DEC	28/04/07	
Kellie Mantle (Fauna)	DEC	02/05/08	

10 ENVIRONMENTAL MANAGEMENT PLAN

This section of the report (the EMP) has been developed for the project area following the completion of the above sections. The main aim of this EMP is to provide a management plan to assist in minimising the environmental impacts of the activities associated with the proposed works and identify who is responsible for the implementation of the management strategies.

This EMP will only address the actions already listed as well as any site-specific issues that were identified during the PEIA. The project specific management measures identified within this EMP are in addition to the standard specifications used for Category 2 projects. The environmental management measures/conditions in Main Road's Specifications 203, 204, 301, 302 and 304 are still to be followed where applicable.

The areas that require special management will be addressed in terms of:

- the timing of the various management actions;
- the topic (e.g. vegetation);
- the objectives for each area;
- the actions that are necessary to minimise the impact;
- the responsible party for implementing the action; and
- whether the action arose from external advice or is a Main Roads requirement.

10.1 Communication Plan

Environmental issues specific to the project will be communicated as:

Method	Frequency	Participants	Reference	Record						
Project Site	Project Site									
Induction	Prior to Work	All personnel and subcontractors	EMP and Contractor Environmental Policy	Induction Meeting						
Authority Consultation										
Department of Environment and Conservation	As required	Main Roads' Project Manager and Contractor Project Manager	-	Minutes of meeting						

10.1.1 External Communication and Complaints

A complaints register shall be maintained by the contractor. All complaints received shall be forwarded to the Main Roads' Project Manager for action. Serious complaints shall be investigated within 24 hours of the complaint being received.

11 MONITORING

After project completion, revegetated areas will be inspected every six months for the first two years to ensure weed spread or establishment has not occurred and to measure the effectiveness of revegetation works.

Monitoring of the weeds identified in the project area will comprise the use of input criteria listed below.

Criterion	Target	After three months	After one year	After three years
Mean weed foliage cover (%).	<20	<20	<20	<20

12 CONTINGENCY MEASURES

Given the scale and nature of the project, no contingency measures are identified as the inherent environmental risks are small.

13 AUDITING

Given the scale and nature of the project, there is no requirement for auditing the implementation of the EMP as the environmental risks are small.

14 REFERENCES

Mitchell, A. A. and Wilcox, D. G. (1994) *Arid Shrubland Plants of Western Australia*, Second and Enlarged Edition. University of Western Australia Press, Nedlands, Western Australia.

	ENVIRONMENTAL MANAGEMENT PLAN							
Timing	Area of Management	Objective	Action	Responsible Party	Advice			
All phases of Construction	Vegetation Clearing - Record- keeping	All projects should maintain the required records relating to clearing native vegetation under the purpose permit.	Clearing: a copy of the PEIA & EMP (Minor projects) for small projects; a map showing the location where the clearing occurred, recorded in an ESRI Shapefile; the size of the area cleared (in hectares); and the dates on which the clearing was done.	Project Manager	DEC			
			Offsets:	Project Manager	DEC			
			 Revegetation and rehabilitation of areas: a copy of each Revegetation Plan; a map showing the location of any area revegetated and rehabilitated recorded in an ESRI Shapefile; a description of the revegetation and rehabilitation activities undertaken; and the size of the area revegetated and rehabilitated (in hectares). 	Project Manager	DEC			
			Control of weed and other pathogens a copy of any management plan prepared; and for any pathogen the appropriate steps taken 	Project Manager	DEC			
Pre-Construction	Induction	Inform all personnel of the management actions/strategies required of them	Develop and implement a communication plan including response to complaints, liaising/reporting to government agencies, engagement with the community and others when work is performed, with specific reference to nuisance issues such as noise, dust and lighting spill	Project Manager	Main Roads			

Main Roads Western Australia Page 14 of 50

		ENVIRO	NMENTAL MANAGEMENT PLAN		
Timing	Area of Management	Objective	Action	Responsible Party	Advice
Pre-Construction	Aboriginal heritage	Ensure that there is no unauthorised disturbance to Aboriginal heritage sites during construction	If any materials of significance to Aboriginal people are discovered, works will immediately cease within 100m of the material and the site will be examined by a qualified archaeologist The DIA will be notified in the event of any significant Aboriginal heritage discovery If skeletal material is uncovered during works the WA Police Service will also be advised immediately	Project Manager/ Contractors	Main Roads DIA
Pre-Construction	Visual Amenity	Ensure that the road blends in with the surrounding environment	Ensure that the road blends in with the surrounding environment	Project Manager	Main Roads
Pre-Construction	Vegetation - Clearing	Clearing of the alignment and construction works are compatible with maintaining and, where possible, enhancing the biological integrity of the surrounding environment and minimising vegetation loss	Selection of designs/locations that minimise adverse impacts on the biological environment.	Project Manager	Main Roads
			Construction works to be undertaken in summer to reduce the potential for soil erosion and drainage line siltation due to vegetation removal and heavy rains.	Project Manager	Main Roads
			Control/spray weeds species within the project area prior to construction to limit the amount of propagative material that may be spread during disturbance.	Contractor	Main Roads
		Ensure the retention of as many habitat trees, shrubs and vegetated corridors for fauna as	Any stockpiled vegetation from clearing works shall not be burnt. This vegetation shall be used during any rehabilitation works and either chipped or replaced according to the EMP.	Contractor	Main Roads
Construction	Vegetation - Clearing	possible, particularly where associated with riparian zones.	During construction works, damage of existing vegetation will be avoided as far as practicable. Mature trees are to be conserved as far as is practicable and shall not be disturbed for temporary works such as access tracks, spoil area or sites offices. Vehicles and equipment is not to be parked or driven over tree roots. Trees to be removed are to be felled in a manner that ensures they fall within the approved clearing areas.	Contractor	Main Roads

Main Roads Western Australia

		ENV	IRONMENTAL MANAGEMENT PLAN		
Timing	Area of Management	Objective	Action	Responsible Party	Advice
Construction	Management Weeds	Prevent and reduce the introduction and spread of weeds	Control any weed species, if present, within the project area prior to construction to limit the amount of propagative material that may be spread during disturbance. The following machinery and vehicle hygiene measures will be utilised to avoid the inadvertent spread of weeds within any project areas: • All site employees will be advised of the hygiene measures • All clearing, topsoil stripping and gravel cartage activities will be conducted under dry soil conditions • Dust adhering to the sides of vehicles does not need to be removed • All construction plant and machinery should be cleaned free of soil and vegetative material prior to arrival and prior to departing the project site. • Clean down will comprise of the use of a brush and/or compressed air to remove clumps of soil and/or soil water slurry. A metal bar or spade will be used to remove compacted soil where necessary. If a new weed infection is identified within the area, measures to reduce its spread should be established. Main roads Specifications applicable:	Contractor	Main Roads
			204: Environment301: Clearing		

Main Roads Western Australia Page 16 of 50

	ENVIRONMENTAL MANAGEMENT PLAN							
Timing	Area of Management	Objective	Action	Responsible Party	Advice			
Construction	Water Course and Surface Drainage	Maintain the hydrological regime that exists prior to the construction of the proposal and prevent erosion in areas subject to flooding	Areas subject to erosion as a result of clearing shall be stabilised and designed to minimise rainfall/run-off impacts. Works should minimise vegetation and soil disturbance to prevent soil movement. Finished works should be left in a stable condition to minimise the risk of scouring. If washdown facilities or chemical storage takes place on site, best management practices will be utilised in accordance with DEC's Water Quality Protection notes, Mechanical Equipment Washdown to minimise impacts on water resources. Stormwater drainage shall be treated and disposed of in accordance with the DoW's Stormwater Management Manual and DEC's requirements. Main Roads Specifications applicable: 402: Surface Drains 405: Drainage Structures	Contractor/ Construction Engineer	Main Roads			
Construction	Noise, Vibration and Dust	Ensure that the construction of the proposal does not become a nuisance to the public.	Access to private property and appropriate traffic management measures should be planned and implemented prior to the construction of works. Works associated with the construction of the	Contractor	Main Roads Main Roads			
			development should not prevent public access along the adjacent reserve. Public access should be maintained along the reserve at all times.	25				
			Any complaints regarding dust will be attended to as soon as possible.	Contractor/Project Manager	Main Roads			

Main Roads Western Australia Page 17 of 50

		ENVIR	ONMENTAL MANAGEMENT PLAN		
Timing	Area of Management	Objective	Action	Responsible Party	Advice
			Where it is found that trucks leaving the site are carrying excessive material onto sealed surfaces, these areas will be swept to reduce dust generation and maintain traffic safety. Watering shall be used as a mitigation measure to protect loose surfaces	Contractor	Main Roads
Construction	Pollution and Litter	Ensure that the construction of the proposal is managed to a standard that minimises any adverse impacts on the	Emergency cleanup procedures shall be implemented in the case of any spillage. These will include control of spilled material and removal of contaminated soil to an approved site.	Contractor	Main Roads
		environment.	The contractor shall ensure appropriate equipment is available at all times and shall notify the Superintendent's Representative following a spill.		
			The designated servicing area will be bunded to contain any spills or leaks and shall not be located in an area adjacent to any drainage areas or watercourses or will drain into a temporary sump.	Contractor	Main Roads
			All waste oil will be collected for recycling and any empty fuel/oil containers, used filters and waste hydraulic parts to be collected and stored in an allocated area then removed to an approved site.	Contractor	Main Roads
			Dumping or temporary storage of bitumen, asphalt, concrete or aggregate should only occur at designated depots or controlled hardstands.	Contractor	Main Roads
			The project areas, including hardstand areas, will be kept in a tidy manner at all times. All litter on the project will be placed into lidded bins and disposed of at an approved landfill.	Contractor	Main Roads

Main Roads Western Australia Page 18 of 50

ENVIRONMENTAL MANAGEMENT PLAN						
Timing	Area of Management	Objective	Action	Responsible Party	Advice	
Construction	Fire	Ensure that the fire risk associated with the construction of the proposal is minimised.	No fires shall be lit within the project area.	Contractor	Main Roads	
Construction	Site Management Ensure that the site is managed to ensure that construction of the proposal will have minimal impact upon the surrounding environment.		Materials storage areas will be located on previously disturbed/ designated area.	Contractor	Main Roads	
Post- Construction	Rehabilitation Leave the project area free from debris; and Rehabilitate the project area so that the revegetated area provides a net increase in area of native vegetation at the site.		Revegetation of temporary cleared area will be undertaken in accordance with the Main Roads' Revegetation Plan for Pastoral Areas which has been approved by DEC. All waste materials from the development are to be completely removed from the site upon completion of the development. Final clean-up shall be to the satisfaction of the Project Manager and the Site Superintendent.	Contractor	Main Roads	

Main Roads Western Australia Page 19 of 50

Appendix A

Low Impact Environmental Screening Checklist

Checklist - Low Impact Screening Checklist

The Low Impact Screening Checklist is part of the environmental assessment and approval process, refer to in Figure 2 in the Main Roads environmental guideline Environment Assessment and Approvals. It should be noted that the checklist does not address Aboriginal heritage issues. Please refer to Main Roads guideline Aboriginal Heritage for the heritage assessment process.

All projects are to be screened to identify those that are Low Impact.

Projects that have "No" to all items are classed as Low Impact and should be implemented using standard

contract clauses in the Tender Document Process.

Projects that have "Yes" to any item will require further environmental assessment and will be implemented using an Environmental Management Plan.

Tick "Yes" or "No" for every item.

Project Name: Pit Extension 145.6 and 345.4 SLK - North West Coastal Highway

NO.	ITEM						
1	New road or road reserve to be created or expansion of existing road reserve.						
2	Works require clearing of native vegetation outside the maintenance zone.						
3	Works require clearing of native vegetation that is older than 10 years old within the maintenance zone.						
4	Works to occur outside normal working hours.						
5	Passes over, adjoins or drains directly into a wetland or sensitive watercourse.						
6	Local natural drainage regime / hydrology will be changed.						
7	Dewatering, or a new water bore required.						
8	Known potential source of hazardous materials within or adjoining project area. e.g. Acid Sulphate Soils, existing petrol station, industrial site or waste disposal site (landfill)						
9	Buildings will require demolition.		X				
To be r a Main	eviewed by Roads name Crystelle Krangeliste Date 24/4/08 Name PROCE CEATRIE Title SCCR Date 24/4/08 Title Sccre Title Livronment Officer						
Comm	ents: Works to be completed using a PEIA						
	DADS Western Australia 700101 Screening Checklist Rev 3.doc	30/05/07	-				

Appendix B

Main Roads WA – Revegetation Plan for Pastoral Areas

Main Roads WA – Revegetation Plan for Pastoral Areas Condition 14(e), CPS 818

Date: Unknown. Project: Unknown.

Manager: Main Roads WA.

Location and size of

clearing:

For project areas located within the pastoral / rangelands region north of the agricultural area as described in the Environmental Protection Authority's

Position Statement No.2.

Location and size of

revegetation:

Primarily for areas that were cleared for searching and extracting road building materials (e.g. borrow pits, etc.), and other project related temporary clearing.

Clearing description: Machine clearing.

Revegetation description:

Replacement of topsoil material regeneration.

Reason for revegetation:

Revegetation of temporary cleared areas, in accordance with condition 14 of

clearing permit CPS 818.

Revegetation / rehabilitation requirements:

Site preparation:

All vegetation will be cleared from the works area and non-weed infested vegetation is stockpiled. Stockpiled vegetation will be placed in a manner that will prevent damage to adjacent vegetation by machinery. Weed infested vegetation will be disposed of at an appropriate site and not used for revegetation purposes. Burning of the cleared vegetation will not be permitted.

Topsoil will be stripped to a maximum depth of 100mm, and will be stored in a weed free (as far as possible) area, as close as possible to the area to be rehabilitated. Topsoil will be placed in windrows of less than 1.5m in height and reinstated as soon as practicable to maintain viability of in-situ seeds.

Weed control:

Appropriate weed control will be carried out when weeds are present, both prior to topsoil stripping and where weeds become established on or between the stockpiled materials. Weed control will take place prior to the respreading of topsoil to ensure weeds are killed and not transported to other areas.

Control measures include the removal of weeds to an approved dumpsite, or treatment of weeds such as by using herbicides mixed in accordance with manufacturer's instructions and applied by a licensed operator. Where practicable, weeds will be removed prior to or when they are in flower, and prior to seeding.

All machinery will be cleared of soil build up and vegetative material before entering and leaving the site to help minimise the transportation of weeds and their seeds.

Exposed areas such as bare batters and borrow pits shall be promptly rehabilitated to reduce the potential for weed establishment. Where works are adjacent to good quality vegetation, where weeds from within the project area are likely to spread to and result in environmental harm to the adjacent area, those weeds will be controlled annually until 12 Dec 2010..

Main Roads WA – Revegetation Plan for Pastoral Areas Condition 14(e), CPS 818

Regeneration / direct seeding / planting at an optimal time:

The following rehabilitation works are undertaken on areas of disturbed earth requiring rehabilitation:

- Topsoil is uniformly respread to a typical depth of 100mm over the project area. In project areas where topsoil has not been removed and/or is not available, other substrate, such as gravel, may be substituted as a growth medium.
- Project areas will be ripped to a minimum depth of 200mm deep with rip lines approximately 300mm apart. Where slopes are present, rip lines shall follow natural contours.

The following rehabilitation works are undertaken at borrow / gravel pits:

- Overburden and then topsoil will be uniformly and evenly spread over the
 disturbed areas of the pit. Depending on the slope of drainage lines within
 the pit, small swales from the topsoil will be formed to reduce erosion
 velocities and encourage the deposition of seeds.
- The whole of the existing pit floor, including drainage lines, will be ripped to a depth of 300-500mm deep with rip lines between 500-800mm apart (if the material in the pit is able to be ripped).
- All stockpiled vegetation will be spread along the contour and the pit floor to help promote seed deposition and to reduce erosion velocities.

Vegetation establishment period:

The vegetation establishment period is for at least twelve months following the completion of the works. During this period, maintenance and monitoring will be undertaken (see below).

Ongoing maintenance and monitoring:

After revegetation works, revegetated areas will be inspected annually for a minimum of two years to monitor and control weeds and to measure the effectiveness of revegetation works.

When unwanted weed foliage cover exceeds 25% after the initial two year period, further actions will be implemented to monitor and control these weeds. The additional monitoring and weed control will be conducted annually until 12 Dec 2010 or until the unwanted weed foliage cover falls below 25%, whichever is sooner.

Monitoring commitments:

Post revegetation site inspections will be carried out annually for a minimum of two years to monitor unwanted weeds and measure the effectiveness of revegetation works. Monitoring of sites where unwanted weed foliage cover exceeds 25% after the initial two year period will continue annually until 12 Dec 2010 or until the unwanted weed foliage cover falls below 25%, whichever is sooner.

Management commitments:

Undertake annual weed control of unwanted weeds annually until 12 Dec 2010 or until the unwanted weed foliage cover falls below 25%, whichever is sooner.

Agencies consulted and submissions received:

Nil.

Appendix C

DEC's Threatened Flora and Fauna Database Searches

EVANGELISTA Crystelle (GEnv)

From:

Mantle, Kellie [Kellie.Mantle@dec.wa.gov.au]

Sent:

Friday, 2 May 2008 4:17 PM

To:

EVANGELISTA Crystelle (GEnv)

Subject:

RE: DEC Fauna Database Search - North West Coastal Highway - Pit Extensions

Follow Up Flag: Follow up Flag Status: Red

...

Attachments: raref

 $raref_MainRoads_Evangelista3.pdf; raref_MainRoads_Evangelista.doc;$

raref_MainRoads_Evangelista4.pdf

Hi Crystell

Please find attached the results of the threatened and priority fauna database search in the vicinity of the two Pit Extension sites on the North West Coastal Highway.

Please refer to the attached letter for the conditions in relation the supplied data.

Let me know if you have any questions about the information supplied.

Regards

Kellie

Kellie Mantle Species and Communities Branch Department of Environment and Conservation Phone (08) 93340579 Fax (08) 93340278

From: EVANGELISTA Crystelle (GEnv) [mailto:crystelle.evangelista@mainroads.wa.gov.au]

Sent: Thursday, 24 April 2008 8:16 AM

To: Mantle, Kellie

Subject: DEC Fauna Database Search - North West Coastal Highway - Pit Extensions

Hi Kellie

Main Roads Gascoyne Region is also proposing to extend numerous material pits across the Gascoyne Region. The purpose of the extension is to provide future gravel resources for road maintenance and construction.

As per our Purpose Permit requirements, I now seek your assistance in undertaking a Threatened Fauna Search.

The co-ordinates for the sites are as follows (data in GDA 94 - Zone 50)

Site 1 – Pit Extension 145.6 SLK SW Corner 0274435

6950400 NW Corner

0274452 6950492

NE Corner 0274520 6950485

SE Corner 0274506

Method

This species was once widely distributed across southern Australia. It prefers woodland or shrubland with an abundant litter layer that provides essential material for the construction of its nest mound.

Malleefowl

2000 1 1 Eurady Dead 2004 1 Day sighting Nerren Nerren

Idiosoma nigrum

1980

Leipoa ocellata

Shield-backed Trapdoor Spider

1 records

2 records

Page 1 of 1

This species is in decline in its patchy distribution through the northern and central wheatbelt and coastal plain. It is a long-lived species that is very sensitive to disturbance.

1954 Schedule 4 - Other specially protected fauna

Cacatua leadbeateri

1

1

Major Mitchell's Cockatoo

1 records

This species is sporadically distributed through arid and semi-arid Australia and may occur in sparsely timbered grasslands and shrublands and rocky outcrops.

Eurardy Day sighting

Priority Three: Taxa with several, poorly known populations, some on conservation lands

Leioproctus contrarius

(bee)

This species of native bee is apparently dependent on flowers of Goodeniaceae and possibly Lechenaultia stenosepala. Recent surveys have shown that it is more widespread than previously thought.

Eurardy Caught or trapped

Date: date of recorded observation

Certainty (of correct species identification): 1=Very certain; 2=Moderately certain; and 3=Not sure.

Seen: Number of individuals observed.

Location Name: Name of reserve or nearest locality where observation was made

Method: Method or type of observation

Department of Environment and Conservation

Friday, 2 May 2008

^{*} Information relating to any records provided for listed species:-

25.401 °S 113.913 °E / 26.323 °S

Site 2 - Pit Extension 345.4 slk (plus~50km buffer)

* Date Certainty Seen Location Name

Method

Schedule 1 - Fauna that is rare or is likely to become extinct

Egernia stokesii badia

Western Spiny-tailed Skink

1 records

This species occurs in semi-arid scrubs and woodlands of Shark Bay and the northern wheatbelt, sheltering in hollow logs and behind

2003

I Woodleigh

Caught or trapped

Priority Three: Taxa with several, poorly known populations, some on conservation lands

114.77°E

Lerista lineata

Lined Skink

1 records

A small, slender skink that inhabits white sands.

1994

I 3 Woodleigh

Caught or trapped

* Information relating to any records provided for listed species:

Date: date of recorded observation

Certainty (of correct species identification): 1=Very certain; 2=Moderately certain; and 3=Not sure.

Seen: Number of individuals observed.


Location Name: Name of reserve or nearest locality where observation was made


Method: Method or type of observation


Department of Environment and Conservation


Appendix D


Australian Heritage Places Inventory, Heritage Council of Western Australia and the Municipal Heritage Inventory Database Searches











Appendix E

Department of Indigenous Affairs Database Search



Aboriginal Heritage Inquiry System

Register of Aboriginal Sites



Search Criteria

0 sites in a search box. The box is formed by these diagonally opposed corner points:

MGA Z	MGA Zone 50				
Northing	Easting				
6949118	273018				
6956461	280271				

Disclaimer

Aboriginal sites exist that are not recorded on the Register of Aboriginal Sites, and some registered sites may no longer exist. Consultation with Aboriginal communities is on-going to identify additional sites. The AHA protects all Aboriginal sites in Western Australia whether or not they are registered.

Copyright

Copyright in the information contained herein is and shall remain the property of the State of Western Australia. All rights reserved. This includes, but is not limited to, information from the Register of Aboriginal Sites established and maintained under the Aboriginal Heritage Act 1972 (AHA).

Legend

Restriction		Access		Status		Coordinate Accuracy		
N	No restriction	С	Closed	L	Lodged	Accuracy is s	hown as a code in brackets following the site coordinates.	
M	Male access only	0	Open	1	Insufficient Information	[Reliable]	The spatial information recorded in the site file is deemed to be reliable, due to methods of capture.	
F	Female access	V	Vulnerable	P	Permanent register [Unre	[Unreliable]	The spatial information recorded in the site file is deemed to be unreliable due to errors of spatial data capture and/or quality of spatial information reported.	
				S	Stored data		data capture and/or quality or spatial information reported.	

Spatial Accuracy

Index coordinates are indicative locations and may not necessarily represent the centre of sites, especially for sites with an access code "closed" or "vulnerable". Map coordinates (Lat/Long) and (Easting/Northing) are based on the GDA 94 datum. The Easting / Northing map grid can be across one or more zones. The zone is indicated for each Easting on the map, i.e. '5000000:Z50' means Easting=5000000, Zone=50.

© Government of Western Australia

Report created 01 Apr 2008 08:36:07. Identifier: 460052.

Page 1



Main Roads Western Australia

Appendix F WAPC's Acid Sulfate Soils Mapping



Acid Sulfate Soils Applicant Self-Assessment Form



Important information for applicants

This form need only be completed if there is evidence of significant risk of disturbing acid sulfate soils at this location or having completed Form 1A - Application for approval of freehold subdivision or survey strata you have indicated yes to either question 1 or 2, Acid sulfate soils assessment, section 7.

Full name	Crystelle Evangelista		
	1.1/1/11	1	
Applicant signat	ure Joseph agelik	Date	1/04/08
Application prop details	Pit Extension 145.4, 262.7 and 345.4 SLK – North West Coastal Highway		
Step 1	eviously indicated yes to question 1 or 2 on form 1A go to Step 2.		
	be of a significant risk of disturbing acid sulfate soils at this location?		
The WAPC has p	ublished maps showing the levels of risk of acid sulfate soils. The maps are shown on fi id at www.wapc.wa.gov.au/bulletins	igures 1-29 o	f planning bulletin no. 6
Question 1:	Do figures 1-29 of the WAPC's Planning Bulletin No 64 Acid Sulfate Soi show the land as having a high to moderate risk of acid sulfate soil occuring within 3 m of natural soil serface?		s 🗸 no
Question 2:	Is the land located in an area, whether depicted in figures 1-29 or not, where site characteristics and local knowledge lead you to form the view that there is a significant risk of disturbing acid sulfate soils at this locati	v on? ye	s 🗸 no
If yes to either	of these questions go to step 2.		
If no to both of together with the	these questions then no further investigation is required. Sign this form a e written results of the preliminary site assessment.	nd submit i	t with your applicati
Step 2			
	ollowing works proposed, or likely to be carried out, on the land?		. 🗆
	Are any dewatering works proposed to be undertaken? Is the surface elevation ≤ 5m AHD and is excavation of ≥ 100m³ of soil proposed? (ie 10 standard dump truck loads)	□ ye	process of the latest states and the latest states are the latest states and the latest states are the latest
Question 5:	Is the surface elevation $> 5m$ AHD and is excavation of $\ge 100m^3$ of soil (ie 10 standard dump truck loads) with an excavation depth of $\ge 2m$ proposed?	ye	s 🗌 no
If yes to any of	these questions go to step 3.		
If no to all of the	ese questions no further investigation is required. Sign this form and subr	nit it with yo	our application.
Step 3			
	ninary site assessment in accordance with Department of Environment ar		
Note: Copies be obta http://w	of documents in the acid sulfate soils guidelines series and further techn ained from contaminated sites page on the Department of Environment ar www.dec.wa.gov.au	ical advice nd Conserv	and information ca ation's website at
Question 6:	Did the preliminary site assessment reveal the presence of acid sulfate soils?	ye	s 🗆 no
	estions go to step 4		

If no to this questions then no further investigation is required. Sign this form and submit it with your application together with the written results of the preliminary site assessment.

PTO for information on submissions

Main Roads Western Australia

Appendix G

Department of the Environment and Heritage Database Search



Protected Matters Search Tool

You are here: Environment Home > EPBC Act > Search

1 April 2008 22:19

EPBC Act Protected Matters Report

This report provides general guidance on matters of national environmental significance and other matters protected by the EPBC Act in the area you have selected. Information on the coverage of this report and qualifications on data supporting this report are contained in the <u>caveat</u> at the end of the report.

You may wish to print this report for reference before moving to other pages or websites.

The Australian Natural Resources Atlas at http://www.environment.gov.au/atlas may provide further environmental information relevant to your selected area. Information about the EPBC Act including significance guidelines, forms and application process details can be found at http://www.environment.gov.au/epbc/assessmentsapprovals/index.html

Search Type: A

Area 0 km

Coordinates:

-27.4745,114.6507, -

27.6084,114.6507, -27.6084,114.7555,

-27.474.114.7555




Report Contents: Summary

Details

- Matters of NES
- Other matters protected by the
- **EPBC Act**
- Extra Information

Caveat

Acknowledgments



This map may contain data which are © Commonwealth of Australia (Geoscience Australia) © 2007 MapData Sciences Pty Ltd, PSMA

Summary

Matters of National Environmental Significance

This part of the report summarises the matters of national environmental significance that may occur in, or may relate to, the area you nominated. Further information is available in the detail part of the report, which can be accessed by scrolling or following the links below. If you are

http://www.environment.gov.au/cgi-bin/erin/ert/epbc/epbc_report.pl

1/04/2008

nominated.

State and Territory Reserves:

1

Other Commonwealth Reserves:

None

Regional Forest Agreements:

None

Details

Matters of National Environmental Significance

Threatened Species [Dataset Information] Status Type of Presence

Birds

Acanthiza iredalei iredalei * Vulnerable Species or species habitat likely to

Slender-billed Thornbill (western) occur within area

Calyptorhynchus latirostris * Endangered Species or species habitat likely to

Carnaby's Black-Cockatoo, Short-billed Black- occur within area

Cockatoo

Leipoa ocellata * Vulnerable Species or species habitat likely to

Malleefowl occur within area

Mammals

Dasyurus geoffroii * Vulnerable Species or species habitat likely to

Chuditch, Western Quoll occur within area

Reptiles

Egernia stokesii badia* Endangered Species or species habitat likely to

Western Spiny-tailed Skink occur within area

Plants

Beyeria lepidopetala * Endangered Species or species habitat likely to

Short-petalled Beyeria, Small-petalled Beyeria occur within area

Caladenia bryceana subsp. cracens* Vulnerable Species or species habitat likely to

Northern Dwarf Spider-orchid occur within area

Caladenia wanosa * Vulnerable Species or species habitat likely to

Kalbarri Spider-orchid occur within area

Eucalyptus beardiana * Endangered Species or species habitat likely to

Beard's Mallee occur within area

Hypocalymma longifolium * Endangered Species or species habitat likely to

occur within area

Migratory Species [Dataset Information] Status Type of Presence

Migratory Terrestrial Species

Birds

<u>Haliaeetus leucogaster</u> Migratory Species or species habitat likely to

White-bellied Sea-Eagle occur within area

Leipoa ocellata * Migratory Species or species habitat likely to

Malleefowl occur within area

Merops ornatus * Migratory Species or species habitat may

Rainbow Bee-eater occur within area

http://www.environment.gov.au/cgi-bin/erin/ert/epbc/epbc_report.pl

1/04/2008

Migratory Wetland Species

Birds

Ardea alba Migratory Species or species habitat may

Great Egret, White Egret occur within area

Ardea ibis Migratory Species or species habitat may

Cattle Egret occur within area

Migratory Marine Birds

Apus pacificus Migratory Species or species habitat may

Fork-tailed Swift occur within area

Ardea alba Migratory Species or species habitat may

Great Egret, White Egret occur within area

Ardea ibis Migratory Species or species habitat may

Cattle Egret occur within area

Other Matters Protected by the EPBC Act

Listed Marine Species [Dataset Information] Status Type of Presence

Birds

Apus pacificus Listed -Species or species habitat may occur

Fork-tailed Swift overfly within area

marine area

Ardea alba Listed -Species or species habitat may occur

Great Egret, White Egret overfly within area

marine area

Ardea ibis Listed -Species or species habitat may occur

Cattle Egret overfly within area

marine

area

Haliaeetus leucogaster Listed Species or species habitat likely to

occur within area

White-bellied Sea-Eagle

Merops ornatus * Listed -Species or species habitat may occur Rainbow Bee-eater overfly within area

marine area

Places on the RNE [Dataset Information] Note that not all Indigenous sites may be listed.

Natural

Kalbarri National Park (1978 boundary) WA

Extra Information

State and Territory Reserves [Dataset Information]

Kalbarri National Park, WA

Caveat

The information presented in this report has been provided by a range of data sources as acknowledged at the end of the report.

http://www.environment.gov.au/cgi-bin/erin/ert/epbc/epbc_report.pl

1/04/2008

Appendix H

Site Photos



Photograph 1: Pit Extension 145.6 SLK – North West Coastal Highway – North



Photograph 2: Pit Extension 145.6 SLK - North West Coastal Highway - South East View



Photograph 3: Pit Extension 145.6 SLK - North West Coastal Highway - East View



Photograph 4: Pit Extension 145.6 SLK – North West Coastal Highway – East View

Appendix I

Vegetation Clearing Assessment Report

MRWA Vegetation Clearing Assessment Report

This report has been prepared to assist MRWA in addressing condition 7 "Assessment of Clearing Impacts" under Clearing Permit CPS 818/3.

For guidance on how to complete the form, refer to DEC completed reports (active permits) at http://203.20.251.100/cps reports/.

AREA UNDER ASSESSMENT DETAILS Proponent details Proponent's name: **MRWA Gascoyne Region** Contacts: Name: Crystelle Evangelista Phone: (08) 9941 0713 Fax: (08) 9941 0701 Email: crystelle.evangelista@mainroads.wa.gov.au **Property details** Property: Pit Extension - North West Coastal Highway - SLK 145.6 Colloquial name: Area under assessment Clearing Area (ha) No. Trees Method of Clearing For the purpose of: Site Plan Attached 1.7 0 Mechanical Road Building \square No Yes Materials Avoidance/Minimise clearing How have the clearing impacts been minimised? Areas for extension have been carefully selected based upon preliminary material investigation. **BACKGROUND** This material pit occurs within vegetation association No. 365 which is described as Shrublands; bowgada & jam scrub with scattered York gum & red mallee. According to Native Vegetation Association Data (DEC & DAF) this vegetation association is well represented in the region with 93% remaining. The condition of the vegetation is best described as degraded due to the grazing of cattle and previous material extraction. Yes No No Yes Site Visit Undertaken Fauna / Flora Survey Undertaken \square No No Yes Yes Site Report Attached Fauna / Flora Survey Report Attached Yes ☐ No Yes No Site Photos Attached Other Relevant References Attached **Vegetation Association Clearing Description** Vegetation Condition Comment Mechanical Degraded 365 ASSESSMENT OF APPLICATION AGAINST CLEARING PRINCIPLES (a) Native vegetation should not be cleared if it comprises a high level of biological diversity. Proposal is not at variance to this Principle Comments The area under application predominantly consists of grasses and a few scattered shrubs. The condition of the vegetation is highly degraded due to previous material extraction and does not represent a high level of biodiversity. This proposal is therefore not at variance with this Principle. Site visit - 11/09/08 Methodology GIS Databases: - Interim Biogeographic Regionalisation of Australia -

(b) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of, a significant habitat for fauna indigenous to Western Australia.

Comments Proposal is not at variance to this Principle

The area under application predominantly consists of grasses and a few scattered shrubs. The condition of the vegetation is somewhat degraded and does not represent a significant habitat for fauna. Due to the relatively small clearing area necessary for the pit extensions, impact to fauna species will be marginal. This proposal is therefore not at variance with this

Principle.

 $\begin{tabular}{ll} \textbf{Methodology} & Site visit - 11/09/08 \\ \end{tabular}$

DEC advice - 02/05/08

(c) Native vegetation should not be cleared if it includes, or is necessary for the continued existence of, rare flora.

Comments Proposal is not likely to be at variance to this Principle

DEC Threatened Flora Database search was conducted and no rare flora was known to exist within the project areas. Also based upon site visits, no rare flora species were identified. It is therefore unlikely that the vegetation under application is necessary for significant flora. This proposal is therefore not at variance with this Principle.

Methodology Site visit – 11/09/08

GIS Databases:

- Declared Rare and Priority Flora list - DEC

(d) Native vegetation should not be cleared if it comprises the whole or a part of, or is necessary for the maintenance of a threatened ecological community.

Comments Proposal is not at variance to this Principle

There are no records of Threatened Ecological Communities (TEC'S) for the area under application. This proposal is therefore not at variance with this Principle.

Methodology GIS Databases:

- Threatened Ecological Communities - DEC

(e) Native vegetation should not be cleared if it is significant as a remnant of native vegetation in an area that has been extensively cleared.

Comments Proposal is not at variance to this Principle

Pit 145.6 SLK is representative of Beard Vegetation Association 365 of which 93% of the pre-European extent remains. This vegetation association is therefore of 'least concern' for biodiversity conservation.

This proposal is therefore not at variance with this Principle.

Methodology GIS Databases:

- Interim Biogeographic Reginalisation of Australia -
- Pre-European Vegetaion

(f) Native vegetation should not be cleared if it is growing in, or in association with, an environment associated with a watercourse or wetland.

Comments Proposal is not at variance to this Principle

The area under application does not consist of a watercourse or wetland .

This proposal is therefore not at variance with this Principle.

Methodology Site visit – 11/09/08

DEC's web based Geographic Data Atlas mapping tool

GIS Databaes:

- Hydrography, linear
- Hydrographic Catchments Catchments

(g) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause appreciable land degradation.

Comments Proposal is not at variance to this Principle

The area under application consists of texture contrast soils. Given the small clearing footprint and that the vegetation consists mainly of a few scattered shrubs (with 93% of pre-European vegetation remaining). The proposal is not at variance with this principle.

Methodology Site visit – 11/09/08

GIS Databases:

- Acid Sulphate Soil risk map

(h) Native vegetation should not be cleared if the clearing of the vegetation is likely to have an impact on the environmental values of any adjacent or nearby conservation area.

Comments Proposal is not at variance to this Principle

The proposed project is not near any conservation areas and therefore is not at variance with this Principle.

Methodology Site Visit – 11/09/08

DEC's web based Geographic Data Atlas mapping tool

(i) Native vegetation should not be cleared if the clearing of the vegetation is likely to cause deterioration in the quality of surface or underground water.

Comments Proposal is not at variance to this Principle

The area under application only receives approximately 300mm of annual rainfall. Due to the low rainfall rate, these proposals will not cause deterioration in the quality of surface or under ground water and therefore not a variance to this Principle.

Methodology Site Visit – 11/09/08

DEC's web based Geographic Data Atlas mapping tool

Rainfall, Mean Annual - BOM

(j) Native vegetation should not be cleared if clearing the vegetation is likely to cause, or exacerbate, the incidence or intensity of flooding.

Comments Proposal is not at variance to this Principle

The soil consists of textured contrast soils. In addition the area under application only receives approximately 300mm of annual rainfall. Due to the nature of the soil and the low rainfall rate, these proposals will not exacerbate the incidence of flooding and therefore is not at variance with this Principle.

Methodology Site Visit – 11/09/08

Rainfall, Mean Annual - BOM

Planning instrument, Native Title, RIWI Act Licence, EP Act Licence, Works Approval, Previous EPA decision or other matter.

Comments

There is no further requirement for a RIWI Act Licence, Works Approval or EP Act Licence for the area under application.

Methodology

SUBMISSIONS

If required have submissions been requested and addressed

Submission Requested from Request Sent (Date) Submission Received Issues Raised / Comments Made

(Date)

ASSESSOR'S RECOMMENDATIONS

OFFICER PREPARING REPORT

Crystelle Evangelista (Graduate Environment Officer) Gascoyne Regional Office MRWA Phone 08 9941 0713

Date 12/09/08