



Licence number	L9242/2020/1
Licence holder	Paddington Gold Pty Limited
ACN	008 585 886
Registered business address	Level 1, Viskovich House 377 Hannan Street KALGOORLIE WA 6430
DWER file number	DER2020/000062
Duration	11/06/2020 to 10/06/2040
Date of issue	11/06/2020
Date of amendment	13/02/2025
Premises details	Golden Cities Mining tenements: M24/188, M24/251, M24/425, M24/557, L24/288, M24/564, M24/565, M24/616, L24/231 and M 27/185 As defined by the coordinates and map in Schedule 2

Prescribed premises category description (Schedule 1, <i>Environmental Protection Regulations 1987</i>)	Assessed production / design capacity
Category 6: Mine dewatering - premises on which water is extracted and discharged to the environment to allow mining of ore.	7,000,000 tonnes per annual period
Category 12: Screening etc. of material - premises (other than premises within category 5 or 8) on which material extracted from the ground is screened, washed, crushed, ground, milled, sized or separated.	1,000,000 tonnes per annual period

This amended licence is granted to the licence holder, subject to the attached conditions, on 13 February 2025 by:

MANAGER, RESOURCES INDUSTRIES
an officer delegated under section 20 of the *Environmental Protection Act 1986* (WA)

Licence history

Date	Reference number	Summary of changes
01/08/2019	W6244/2019/1	Works approval for the construction of dewatering infrastructure
11/06/2020	L9242/2020/1	Licence for dewatering activities
03/08/2021	L9242/2020/1	Licence amendment to include crushing and screening activities
28/11/2023	L9242/2020/1	Licence amendment to increase the dewatering volume to an assessed design capacity of 5,200,000kL, update premises figure and correct clerical mistakes.
13/02/2025	L9242/2020/1	Licence amendment to add a new dewatering pipeline from Federal, Havana and Mulgarrie pits to Golden Arrow Pit with an increase to the dewatering volume to an assessed design capacity of 7,000,000 kL (t) per year.

Interpretation

In this licence:

- (a) the words 'including', 'includes' and 'include' in conditions mean "including but not limited to", and similar, as appropriate;
- (b) where any word or phrase is given a defined meaning, any other part of speech or other grammatical form of that word or phrase has a corresponding meaning;
- (c) where tables are used in a condition, each row in a table constitutes a separate condition;
- (d) any reference to an Australian or other standard, guideline, or code of practice in this licence:
 - (i) if dated, refers to that particular version; and
 - (ii) if not dated, refers to the latest version and therefore may be subject to change over time;
- (e) unless specified otherwise, any reference to a section of an Act refers to that section of the EP Act; and
- (f) unless specified otherwise, all definitions are in accordance with the EP Act.

NOTE: This licence requires specific conditions to be met but does not provide any implied authorisation for other emissions, discharges, or activities not specified in this licence.

Licence conditions

The licence holder must ensure that the following conditions are complied with:

Infrastructure and equipment

- The licence holder must ensure that the site infrastructure and equipment listed in Table 1 and located at the corresponding infrastructure location is maintained and operated in accordance with the corresponding operational requirement set out in Table 1.

Table 1: Infrastructure and equipment requirements

Site infrastructure and equipment	Operational requirement	Infrastructure location
Dewatering pipelines	<ul style="list-style-type: none"> 110 and 315 NB single weld pipeline and to be laid within v-drains Required to meet: <ul style="list-style-type: none"> AS/NZS 2033:3008: Installation of polyethylene pipe systems AS/NZS 4129:2008: Fittings for polyethylene (PE) pipes for pressure applications; AS/NZS 4130:2009 Polyethylene (PE) pipes for pressure applications; and AS/NZS 4131:2010: Polyethylene (PE) compounds for pressure pipes and fittings 	As per Figure 1 of Schedule 1
Scour pits	The scour pits are placed in a minimum of 500 m intervals from each other	N/A
V-drains	The v-drains and scour pits in combination must have sufficient capacity to completely contain any spills from pipeline leakage or breach for a period equal to the time between routine inspections.	N/A
Receiving pits including: Havana pit, Mulgarrie pit, Jakarta pit, Federal pit, Golden Arrow Pit	<ul style="list-style-type: none"> Minimum vertical freeboard of 6 m maintained below the lower crest level at all times No more than 7,000,000 tonnes of mine dewater to be discharged per annual period 	As per Figure 1 of Schedule 1
Crushing and screening plant	<ul style="list-style-type: none"> A water cart must be present to suppress any emissions of visible dust associated with crushing and screening activities; Crushing and screening must not be undertaken within 100 m of any active Malleefowl mounds; and Crushing and screening must only occur utilising material generated and stockpiled at the Premises. No more than 1,000,000 tonnes per annual period. 	Stockpiled material located as per Figure 1 of Schedule 1

Emissions and discharges

2. The licence holder must ensure that the emissions specified in Table 2, are discharged only from the corresponding discharge point and only at the corresponding discharge point location.

Table 2: Authorised discharge points

Emission	Discharge point	Discharge point location
Dewatering discharge	Havana pit, Mulgarrie pit, Jakarta pit, Federal pit, Golden Arrow Pit	As per Figure 1 of Schedule 1

Monitoring

3. The licence holder must monitor emissions in accordance with the requirements specified in Table 3 and record the results of all such monitoring.

Table 3: Emissions and discharge monitoring

Location	Parameter	Frequency	Unit	Method
Havana pit, Mulgarrie pit, Jakarta pit, Federal pit, Golden Arrow Pit	Volumetric flow rate	Continuous	kL	AS/NZS 5667.1
	Standing water level	Monthly ²	metres below pit crest level	
	pH ¹		-	
	Total dissolved solids ¹		mg/L	

Note 1: In-field non-NATA accredited analysis permitted

Note 2: At least 15 days apart; in pits to which discharge is actively occurring during that month

4. The licence holder must undertake visual inspections of the infrastructure as specified in Table 4, and maintain a written log of each inspection signed by the responsible person.

Table 4: Inspections of infrastructure

Infrastructure	Type of inspection	Frequency ¹
Dewatering pipelines	Visual integrity and leak detection	Once every 12 hourly shift Inspections are to be at least 6 hours and no more than 18 hours apart
Scour pit, v-drains	Visual integrity	Once every 12 hourly shift
Receiving pits including: Havana pit, Mulgarrie pit, Jakarta pit, Federal pit, Golden Arrow Pit	Freeboard inspections during operation	Monthly

Note 1: At infrastructure where discharge is actively occurring

Records and reporting

5. The licence holder must record the following information in relation to complaints received by the licence holder (whether received directly from a complainant or forwarded to them by the Department or another party) about any alleged emissions from the premises:
 - (a) the name and contact details of the complainant, (if provided);
 - (b) the time and date of the complaint;
 - (c) the complete details of the complaint and any other concerns or other issues raised; and
 - (d) the complete details and dates of any action taken by the licence holder to investigate or respond to any complaint.

6. The licence holder must:
 - (a) undertake an audit of their compliance with the conditions of this licence during the preceding annual period; and
 - (b) prepare and submit to the CEO by no later than 30 days after the end of that annual period an Annual Audit Compliance Report in the approved form.

7. The licence holder must submit to the CEO by no later than 30 days after the end of each annual period, an Annual Environmental Report for that annual period for the conditions listed in Table 5, and which provides information in accordance with the corresponding requirement set out in Table 5.

Table 5: Annual Environmental Report

Condition	Requirement
1	Quantity of material processed by crushing and screening
3	Tabulated emissions monitoring data results

8. The licence holder must maintain accurate and auditable books including the following records, information, reports, and data required by this licence:
 - (a) the calculation of fees payable in respect of this licence;
 - (b) any maintenance of infrastructure that is performed in the course of complying with condition 1 of this licence;
 - (c) monitoring programmes undertaken in accordance with condition 3 of this licence; and
 - (d) complaints received under condition 5 of this licence.

9. The books specified under condition 8 must:
 - (a) be legible;
 - (b) if amended, be amended in such a way that the original version(s) and any subsequent amendments remain legible and are capable of retrieval;
 - (c) be retained by the licence holder for the duration of the licence; and
 - (d) be available to be produced to an inspector or the CEO as required.

Definitions

In this licence, the terms in Table 6 have the meanings defined.

Table 6: Definitions

Term	Definition
ACN	Australian Company Number
Annual Audit Compliance Report (AACR)	means a report submitted in a format approved by the CEO (relevant guidelines and templates may be available on the Department's website)
annual period	a 12 month period commencing from 1 July until 30 June of the immediately following year
books	has the same meaning given to that term under the EP Act
CEO	means Chief Executive Officer of the Department. "submit to / notify the CEO" (or similar), means either: Director General Department administering the <i>Environmental Protection Act 1986</i> Locked Bag 10 Joondalup DC WA 6919 or: info@dwer.wa.gov.au
Department	means the department established under section 35 of the <i>Public Sector Management Act 1994</i> (WA) and designated as responsible for the administration of the EP Act, which includes Part V Division 3
discharge	has the same meaning given to that term under the EP Act
emission	has the same meaning given to that term under the EP Act
EP Act	<i>Environmental Protection Act 1986</i> (WA)
licence	refers to this document, which evidences the grant of a licence by the CEO under section 57 of the EP Act, subject to the specified conditions contained within
licence holder	refers to the occupier of the premises, being the person specified on the front of the licence as the person to whom this licence has been granted
monthly period	means a one-month period commencing from the first day of a month until the last day of the same month
premises	refers to the premises to which this licence applies, as specified at the front of this licence and as shown on the premises map (Figure 1) in Schedule 1 to this licence
prescribed premises	has the same meaning given to that term under the EP Act

Schedule 1: Map

Premises map

The prescribed premises layout including crushing and screening stockpile area and dewatering pipelines is shown in Figure 1 below.




Figure 1: Premises layout including crushing and screening stockpile area and dewatering pipelines

L9242/2020/1 (Amended: 13/02/2025)

IR-T06 Licence template (v7.0) (February 2020)

Schedule 2: Prescribed premises boundary

The premises boundary is defined by the coordinates in Table 7 and Figure below.

Table 7: Premises boundary coordinates (GDA94)

Point (Figure 2)	Lat °S	Lon °E
1	30.443	121.333
2	30.443	121.334
3	30.443	121.335
4	30.444	121.336
5	30.444	121.336
6	30.445	121.336
7	30.446	121.337
8	30.446	121.338
9	30.45	121.334
10	30.454	121.334
11	30.454	121.341
12	30.452	121.34
13	30.451	121.34
14	30.451	121.34
15	30.459	121.348
16	30.451	121.342
17	30.45	121.345
18	30.449	121.348
19	30.449	121.348
20	30.449	121.348
21	30.448	121.35

L9242/2020/1 (Amended:13/02/2025)

Point (Figure 2)	Lat °S	Lon °E
22	30.448	121.35
23	30.448	121.349
24	30.448	121.35
25	30.448	121.349
26	30.436	121.376
27	30.437	121.376
28	30.432	121.388
29	30.427	121.394
30	30.429	121.397
31	30.429	121.403
32	30.425	121.405
33	30.436	121.376
34	30.433	121.376
35	30.415	121.396
36	30.406	121.435
37	30.405	121.435
38	30.407	121.461
39	30.414	121.461
40	30.412	121.494
41	30.411	121.492
42	30.402	121.501
43	30.386	121.521
44	30.381	121.514

L9242/2020/1 (Amended:13/02/2025)

IR-T06 Licence template (v7.0) (February 2020)




Figure 2: Prescribed premises boundary

L9242/2020/1 (Amended:13/02/2025)

IR-T06 Licence template (v7.0) (February 2020)